

Confidential Audit Report Generated by RidgeBot™

# ransomewarecheck

Jan 22, 2021 at 05:32



# Agreement

## CONFIDENTIALITY

This document contains proprietary and confidential information of a highly sensitive nature. Reproduction or distribution without the express written permission of Ridge Security Technology Inc. or the Client named above is strictly prohibited. This document should be marked "CONFIDENTIAL" and therefore we suggest that this document be disseminated on a "need to know" basis.

## DISCLAIMERS

The information presented in this document is provided as is and without warranty. Vulnerability assessments are a "point in time" analysis and as such it is possible that something in the environment could have changed since the tests reflected in this report were run. Also, it is possible that new vulnerabilities may have been discovered since the tests were run. For this reason, this report should be considered a guide, not a 100% representation of the risk threatening your systems, networks and applications. This report cannot and does not protect against personal or business loss as the result of use of the applications or systems described. By using this information, you agree that Ridge Security shall be held harmless in any event.

Report generated by RidgeBot™

# ransomwarecheck

## QUICKLINKS

- Executive Summary
- Configuration at a glance
- Asset Details
- Website Fingerprints
- Host Open Ports
- Exploit Details
- Vulnerability Details
- Attack Surface Details



## Executive Summary

System Version: **V3.2.0-20210119** Plugin Library Version: **V1.1.7**

TASK NAME	START TIME	END TIME	TOTAL TIME	STATUS
ransomwarecheck	Jan 22, 2021 at 03:27	Jan 22, 2021 at 05:32	2 hours and 5 minutes	Success

## Total Health Score

Policy: Minimum Score 60



In this task, we have tested 2 IPs and 10 web servers, the Total Health Score of the target system is 24, this score is based on 100 scale. It is a comprehensive evaluation based on multiple factors such as percentage of vulnerability, attack surface, encrypted traffic etc. This test system is considered as in a "Risky" (Risky < 60; 60 ≤ normal < 85; good ≥ 85) condition with the score of 24. The vulnerability found on each asset can be found in "Asset Detail".


The platform successfully performed 6 exploits. These 6 exploited risks are critical and require immediate attention. It means a real hacker can easily achieve the same result. In the "Exploit Details", we provided information on how it attacked - path, techniques and actions etc for security team to replicate and fix the issue.

Among 6 exploits, 67.0% remote command execution, 33.0% credential disclosure.

## Risk Weighted Assessment

Critical Business Risk

Vulnerabilities




Total number of targets: 2

Number of active assets: 2

Number of active Domains: 0

Number of attack surface(s): 1544

## Exploit Results by Type



## Understanding the health and risk charts

In addition, the platform found 23 high vulnerabilities, 0 medium and 0 low vulnerabilities. These vulnerabilities are possible risks, it might be exploitable, however it may take bigger risk or larger efforts for a hacker. It shall be attended to achieve a comprehensive defense system. Please refer to the "Vulnerability Details" for more information and remediation suggestion.

## Penetration Test Action Distribution



## The Penetration Test Action Distribution chart

Breakdown of total jobs spent within each of the three core functions for the total count of jobs.

## Business Risk Summary

INDEX	RISK TYPE	RELATED VULNERABILITY	TARGET	DETAILS
1	Remote Command Execution	MS17-010 EternalBlue SMB Remote Windows Kernel Pool Corruption	192.168.105.111	→
2	Remote Command Execution	SSH Weak Password	192.168.105.110	→
3	Credential Disclosure	Redis Weak Password	192.168.105.110	→
4	Remote Command Execution	Struts2 Remote Code Execution(S2-016)	http://192.168.105.110:8008/cookie.action	→
5	Credential Disclosure	SSH Weak Password	192.168.105.110	→

INDEX	RISK TYPE	RELATED VULNERABILITY	TARGET	DETAILS
6	Remote Command Execution	Struts2 Remote Code Execution(S2-019)	http://192.168.105.110:8008/devmode.action	→

## Configuration at a Glance

SYSTEM TEMPLATE	CUSTOMIZED TEMPLATE	PLUGINS SELECTED	SCAN TYPE	SCRAPING MODE	ATTACK MODE
Ransomware Attack Simulation	N/A	28	Host And Web application	Crawling	Targeted

OS TYPE	SEVERITY	RISK
<p>WINDOWS (26)</p> <p>OTHER (21)</p> <p>LINUX (23)</p>	HIGH (28)	<p>LOW IMPACT (1)</p> <p>IMPACTFUL (27)</p>

## Asset Details

TARGET	OS TYPE	EXPLOITED	HIGH	MEDIUM	LOW
192.168.105.110	Linux 3.2 - 4.9	3	2	0	0
192.168.105.111	Microsoft Windows 7 SP0 - SP1, Windows Server 2008 SP1, Windows Server 2008 R2, Windows 8, or Windows 8.1 Update 1	1	2	0	0

SITE	IP/DOMAIN	EXPLOITED	HIGH	MEDIUM	LOW
http://192.168.105.110:8080/	192.168.105.110	0	1	0	0
http://192.168.105.110:7002/	192.168.105.110	0	1	0	0
http://192.168.105.111/	192.168.105.111	0	0	0	0
http://192.168.105.111:99/	192.168.105.111	0	0	0	0
http://192.168.105.110:7001/	192.168.105.110	0	0	0	0
http://192.168.105.110:8045/	192.168.105.110	0	12	0	0
http://192.168.105.110:8008/	192.168.105.110	2	4	0	0
http://192.168.105.110:8000/	192.168.105.110	0	1	0	0

SITE	IP/DOMAIN	EXPLOITED	HIGH	MEDIUM	LOW
http://192.168.105.110:8090/	192.168.105.110	0	0	0	0
http://192.168.105.110:8081/	192.168.105.110	0	0	0	0

## Website Fingerprints

INDEX	SITE	CMS	LANGUAGE	FRAMEWORK	WAF/CDN TYPE
1	http://192.168.105.110:7001/	-	-	-	-
2	http://192.168.105.110:7002/	-	-	-	-
3	http://192.168.105.110:8000/	Apache Tomcat	-	-	-
4	http://192.168.105.110:8008/	Apache Tomcat	-	-	-
5	http://192.168.105.110:8045/	Jetty(9.2.11.v20150529)Jetty 9.2.11	Java	-	-
6	http://192.168.105.110:8080/	Apache-Coyote 1.1	-	Java Servlet 3.0	-
7	http://192.168.105.110:8081/	Nexus 3.14.0-04 (OSS)	-	-	-
8	http://192.168.105.110:8090/	-	-	-	-
9	http://192.168.105.111/	IIS 7.5Microsoft-IIS 7.5	-	Microsoft ASP.NET	-
10	http://192.168.105.111:99/	IIS 7.5Microsoft-IIS 7.5	-	Microsoft ASP.NET	-

## Host Open Ports

INDEX	IP	PORT	SERVICE	APPLICATION
1	192.168.105.110	22	ssh	OpenSSH
2	192.168.105.110	6379	redis	Redis key-value store
3	192.168.105.110	7001	http	Oracle WebLogic Server
4	192.168.105.110	7002	http	Oracle WebLogic admin httpd
5	192.168.105.110	8000	http	Apache Tomcat
6	192.168.105.110	8008	http	Apache Tomcat
7	192.168.105.110	8045	http	Jetty

INDEX	IP	PORT	SERVICE	APPLICATION
8	192.168.105.110	8080	http	Apache Tomcat/Coyote JSP engine
9	192.168.105.110	8081	http	Jetty
10	192.168.105.110	8090	opsmessaging	
11	192.168.105.111	80	http	Microsoft IIS httpd
12	192.168.105.111	99	http	Microsoft IIS httpd
13	192.168.105.111	135	msrpc	Microsoft Windows RPC
14	192.168.105.111	139	netbios-ssn	Microsoft Windows netbios-ssn
15	192.168.105.111	445	microsoft-ds	Microsoft Windows Server 2008 R2 - 2012 microsoft-ds
16	192.168.105.111	1433	ms-sql-s	Microsoft SQL Server 2008
17	192.168.105.111	2383	ms-olap4	
18	192.168.105.111	49152	msrpc	Microsoft Windows RPC
19	192.168.105.111	49153	msrpc	Microsoft Windows RPC
20	192.168.105.111	49154	msrpc	Microsoft Windows RPC
21	192.168.105.111	49155	msrpc	Microsoft Windows RPC
22	192.168.105.111	49159	msrpc	Microsoft Windows RPC
23	192.168.105.111	49160	msrpc	Microsoft Windows RPC

## Exploit Details

### 6 Critical Business Risks

#### 1 Shell connection obtained via MS17-010 EternalBlue SMB Remote Windows Kernel Pool Corruption vul



Type	Rank	CVSS Score
Remote Command Execution	Critical	10.0

#### CVSS Vector:

AV:N/AC:L/PR:N/UI:N/S:C/C:H/I:H/A:N

## Description:

This module is a port of the Equation Group ETERNALBLUE exploit, part of the FuzzBunch toolkit released by Shadow Brokers. There is a buffer overflow memmove operation in Srv!SrvOs2FeaToNt. The size is calculated in Srv!SrvOs2FeaListSizeToNt, with mathematical error where a DWORD is subtracted into a WORD. The kernel pool is groomed so that overflow is well laid-out to overwrite an SMBv1 buffer. Actual RIP hijack is later completed in srvnet!SrvNetWskReceiveComplete. This exploit, like the original may not trigger 100% of the time, and should be run continuously until triggered. It seems like the pool will get hot streaks and need a cool down period before the shells rain in again. The module will attempt to use Anonymous login, by default, to authenticate to perform the exploit. If the user supplies credentials in the SMBUser, SMBPass, and SMBDomain options it will use those instead. On some systems, this module may cause system instability and crashes, such as a BSOD or a reboot. This may be more likely with some payloads.

## Solution:

Upgrade to a bug free version

## Reference:

<https://github.com/RiskSense-Ops/MS17-010>


## Detail(Total 1):

### #1/1 Vulnerability Target: 192.168.105.111

Current User: NT AUTHORITY\SYSTEM

OS: windows

## Kill Chain Analysis



## 2 Shell connection obtained via SSH Weak Password vul



Type	Rank	CVSS Score
Remote Command Execution	Critical	8.2



## CVSS Vector:

AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:N

## Description:

SSH weak password is vulnerable to brute-force attack. Attachers can SSH login system with weak password, gain system control privilege.

## Solution:

1. Enforce a strong password policy
2. Restrict access only to specific IPs

## Reference:

[https://www.owasp.org/index.php/Testing\\_for\\_Weak\\_password\\_policy\\_\(OTG-AUTHN-007\)](https://www.owasp.org/index.php/Testing_for_Weak_password_policy_(OTG-AUTHN-007))


## Detail(Total 1):

### #1/1 Vulnerability Target: 192.168.105.110

Current User: root

OS: Linux localhost.localdomain 3.10.0-957.el7.x86\_64 #1 SMP Thu Nov 8 23:39:32 UTC 2018 x86\_64 x86\_64 x86\_64 GNU/Linux

## Kill Chain Analysis



## 3 redis credentials obtained via Redis Weak Password vul



Type	Rank	CVSS Score
Credential Disclosure	Critical	8.2

## CVSS Vector:

AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:N

### Description:

Redis weak password is vulnerable to brute-force attack. Attackers can login Redis database with weak password and access confidential or protected data. If security settings are wrong, attackers can write their own public key to the author\_ssh folder or write system commands to crontab to execute.

### Solution:

1. Enforce a strong password policy 2. Restrict access only to specific IPs

### Reference:

[https://www.owasp.org/index.php/Testing\\_for\\_Weak\\_password\\_policy\\_\(OTG-AUTHN-007\)](https://www.owasp.org/index.php/Testing_for_Weak_password_policy_(OTG-AUTHN-007))

### Detail(Total 1):

#### #1/1 Vulnerability Target: 192.168.105.110

Current User: redis


Service: redis

Port: 6379

Username: redis

Password: \*\*\*\*\*

### Kill Chain Analysis



## 4 Shell connection obtained via Struts2 Remote Code Execution(S2-016) vul



Type	Rank	CVSS Score
Remote Command Execution	Critical	9.1

### CVSS Vector:

AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

## Description:

There is a remote command execution vulnerability in 'Apache Struts2. Malicious users can execute arbitrary java code with ognl syntax on the server, which makes the system execute malicious commands, leading to hackers' invasion, thus threatening the security of the server and greatly affecting it.

## Solution:

At present, the manufacturer has released an upgrade patch to fix this security problem. The link to get the patch is <http://struts.apache.org/release/2.3.x/docs/s2-016.html>

## Reference:

<http://struts.apache.org/release/2.3.x/docs/s2-016.html>


## Detail(Total 1):

#1/1 Vulnerability Target: <http://192.168.105.110:8008/cookie.action>

Current User: root

OS: linux

## Kill Chain Analysis



Type	Rank	CVSS Score
Credential Disclosure	Critical	8.2

### CVSS Vector:

AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:N

### Description:

SSH weak password is vulnerable to brute-force attack. Attachers can SSH login system with weak password, gain system control privilege.

### Solution:

1. Enforce a strong password policy
2. Restrict access only to specific IPs

### Reference:


[https://www.owasp.org/index.php/Testing\\_for\\_Weak\\_password\\_policy\\_\(OTG-AUTHN-007\)](https://www.owasp.org/index.php/Testing_for_Weak_password_policy_(OTG-AUTHN-007))

### Detail(Total 1):

#### #1/1 Vulnerability Target: 192.168.105.110

Current User: root  
 Service: ssh  
 Port: 22  
 Username: root  
 Password: \*\*\*\*\*

### Kill Chain Analysis



**6** Shell connection obtained via Struts2 Remote Code Execution(S2-019) vul



Type	Rank	CVSS Score
Remote Command Execution	Critical	9.1

---

#### CVSS Vector:

AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

#### Description:

There is a remote command execution vulnerability in 'Apache Struts2. Malicious users can execute arbitrary java code with ognl syntax on the server, which makes the system execute malicious commands, leading to hackers' invasion, thus threatening the security of the server and greatly affecting it.

#### Solution:

At present, the manufacturer has released an upgrade patch to fix this security problem. The link to get the patch is <http://struts.apache.org/release/2.3.x/docs/s2-019.html>

#### Reference:

<http://struts.apache.org/release/2.3.x/docs/s2-019.html>


#### Detail(Total 1):

**#1/1 Vulnerability Target:** <http://192.168.105.110:8008/devmode.action>

Current User: root

OS: linux

## Kill Chain Analysis



## Vulnerability Details

23 High Vulnerabilities

### 1 Apache Tomcat PUT Arbitrary File Write (CVE-2017-12615)

#### Description:

When running Apache Tomcat 7.0.0 to 7.0.79 on Windows with HTTP PUTs enabled (e.g. via setting the readonly initialisation parameter of the Default to false) it was possible to upload a JSP file to the server via a specially crafted request. This JSP could then be requested and any code it contained would be executed by the server. CVSS 8.1(high), CVSS:3.0/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H

#### Affected Nodes:

NODE(S)

ADDITIONAL INFORMATION

NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.110:8000">http://192.168.105.110:8000</a>	Target <a href="http://192.168.105.110:8000">http://192.168.105.110:8000</a> has Apache Tomcat PUT Arbitrary File Write (CVE-2017-12615) vulnerability

## References:

#	REFERENCE
1	<a href="https://tomcat.apache.org/security-7.html">https://tomcat.apache.org/security-7.html</a>
2	<a href="https://nvd.nist.gov/vuln/detail/CVE-2017-12615">https://nvd.nist.gov/vuln/detail/CVE-2017-12615</a>

## Vulnerability Solution:

Upgrade to Apache Tomcat 7.0.81 or later

## 2 Redis Weak Password

### Description:

Redis weak password is vulnerable to brute-force attack. Attackers can login Redis database with weak password and access confidential or protected data. If security settings are wrong, attackers can write their own public key to the `author_ssh` folder or write system commands to `crontab` to execute.

### Affected Nodes:

NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.110">192.168.105.110</a>	Target <a href="http://192.168.105.110">192.168.105.110</a> has Redis Weak Password vulnerability

## References:

#	REFERENCE
1	<a href="https://www.owasp.org/index.php/Testing_for_Weak_password_policy_(OTG-AUTHN-007)">https://www.owasp.org/index.php/Testing_for_Weak_password_policy_(OTG-AUTHN-007)</a>

## Vulnerability Solution:

1. Enforce a strong password policy
2. Restrict access only to specific IPs

## 3 Windows SMB Remote Code Execution (MS17-010 and CVE-2017-0144)

### Description:

MS17-010(EternalBlue is a cyberattack exploit developed by the U.S. National Security Agency (NSA)). The SMBv1 server in Microsoft Windows Vista SP2; Windows Server 2008 SP2 and R2 SP1; Windows 7 SP1; Windows 8.1; Windows Server 2012 Gold and R2; Windows RT 8.1; and Windows 10 Gold, 1511, and 1607; and Windows Server 2016 allows remote attackers to execute arbitrary code via crafted packets, aka "Windows SMB Remote Code Execution Vulnerability.

### Affected Nodes:

NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.111">192.168.105.111</a>	Target <a href="http://192.168.105.111">192.168.105.111</a> has Windows SMB Remote Code Execution (MS17-010 and CVE-2017-0144) vulnerability

## References:

#	REFERENCE
1	<a href="https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2017-0144">https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2017-0144</a>
2	<a href="https://docs.microsoft.com/en-us/security-updates/Securitybulletins/2017/ms17-010">https://docs.microsoft.com/en-us/security-updates/Securitybulletins/2017/ms17-010</a>

### Vulnerability Solution:

1. Install security patches from vender's website <https://support.microsoft.com/en-us/help/4013389/title>; 2. Back up in time, be sure to back up important files offline; 3. Turn on the firewall; 4. Disable ports 445, 135, 137, 138, and 139, and turn off network sharing.

## 4 MS17-010 EternalBlue SMB Remote Windows Kernel Pool Corruption

### Description:

This module is a port of the Equation Group ETERNALBLUE exploit, part of the FuzzBunch toolkit released by Shadow Brokers. There is a buffer overflow memmove operation in Srv!SrvOs2FeaToNt. The size is calculated in Srv!SrvOs2FeaListSizeToNt, with mathematical error where a DWORD is subtracted into a WORD. The kernel pool is groomed so that overflow is well laid-out to overwrite an SMBv1 buffer. Actual RIP hijack is later completed in srvnet!SrvNetWskReceiveComplete. This exploit, like the original may not trigger 100% of the time, and should be run continuously until triggered. It seems like the pool will get hot streaks and need a cool down period before the shells rain in again. The module will attempt to use Anonymous login, by default, to authenticate to perform the exploit. If the user supplies credentials in the SMBUser, SMBPass, and SMBDomain options it will use those instead. On some systems, this module may cause system instability and crashes, such as a BSOD or a reboot. This may be more likely with some payloads.

### Affected Nodes:

NODE(S)	ADDITIONAL INFORMATION
<a href="https://www.ripe.net/registry/asn/192.168.105.111">192.168.105.111</a>	Target 192.168.105.111 has MS17-010 EternalBlue SMB Remote Windows Kernel Pool Corruption vulnerability

### References:

#	REFERENCE
1	<a href="https://github.com/RiskSense-Ops/MS17-010">https://github.com/RiskSense-Ops/MS17-010</a>

### Vulnerability Solution:

Upgrade to a bug free version

## 5 WebLogic Service Test Configuration Page Has Arbitrary File Upload(CVE-2018-2894)

### Description:

Oracle officially released the critical patch update CPU (Critical Patch Update) in July, which contains a high-risk Weblogic unauthorized arbitrary file upload vulnerability (CVE-2018-2894). The vulnerability is due to the unauthorized access problem of the configuration page of the Weblogic Web service test client. The paths are /ws\_utc/config.do, /ws\_utc/begin.do As a result, an attacker can access the config.do configuration page, first change the Work Home working directory, replace the default directory that stores the JKS Keystores file with a valid deployed web application directory, and then use the "Add Keystore Settings" function to upload malicious The JSP script file executes arbitrary code on the attacked Weblogic server.

### Affected Nodes:



NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.110:7002/ws_utc/resources/setting/keystore">http://192.168.105.110:7002/ws_utc/resources/setting/keystore</a>	Target http://192.168.105.110:7002/ws_utc/resources/setting/keystore has WebLogic Service Test Configuration Page Has Arbitrary File Upload(CVE-2018-2894) vulnerability

### References:

#	REFERENCE
1	<a href="http://www.oracle.com/technetwork/security-advisory/cpujul2018-4258247.html">http://www.oracle.com/technetwork/security-advisory/cpujul2018-4258247.html</a>
2	<a href="http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2018-2894">http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2018-2894</a>
3	<a href="https://www.securityfocus.com/bid/104763/info">https://www.securityfocus.com/bid/104763/info</a>

### Vulnerability Solution:

Use the patch link in the Oracle official announcement: <http://www.oracle.com/technetwork/security-advisory/cpujul2018-4258247.html> <https://support.oracle.com/rs?type=doc&id=2394520.1>

## 6 JBOSS Deserialization Code Execution (CVE-2017-12149)

### Description:

In Jboss Application Server as shipped with Red Hat Enterprise Application Platform 5.2, it was found that the doFilter method in the ReadOnlyAccessFilter of the HTTP Invoker does not restrict classes for which it performs deserialization and thus allowing an attacker to execute arbitrary code via crafted serialized data.

### Affected Nodes:

NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.110:8080/">http://192.168.105.110:8080/</a>	Target <a href="http://192.168.105.110:8080/">http://192.168.105.110:8080/</a> has JBOSS Deserialization Code Execution (CVE-2017-12149) vulnerability

### References:

#	REFERENCE
1	<a href="https://nvd.nist.gov/vuln/detail/CVE-2017-12149">https://nvd.nist.gov/vuln/detail/CVE-2017-12149</a>

### Vulnerability Solution:

Upgrade to Red Hat Enterprise Application Platform 5.3.

## 7 - 8 Struts2 Remote Code Execution(S2-016)

### Description:

There is a remote command execution vulnerability in 'Apache Struts2. Malicious users can execute arbitrary java code with ognl syntax on the server, which makes the system execute malicious commands, leading to hackers' invasion, thus threatening the security of the server and greatly affecting it.

### Affected Nodes:

NODE(S)	ADDITIONAL INFORMATION
---------	------------------------

NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.110:8008/cookie.action">http://192.168.105.110:8008/cookie.action</a>	Target http://192.168.105.110:8008/cookie.action has Struts2 Remote Code Execution(S2-016) vulnerability
<a href="http://192.168.105.110:8008/devmode.action">http://192.168.105.110:8008/devmode.action</a>	Target http://192.168.105.110:8008/devmode.action has Struts2 Remote Code Execution(S2-016) vulnerability

### References:

#	REFERENCE
1	<a href="http://struts.apache.org/release/2.3.x/docs/s2-016.html">http://struts.apache.org/release/2.3.x/docs/s2-016.html</a>

### Vulnerability Solution:

At present, the manufacturer has released an upgrade patch to fix this security problem. The link to get the patch is <http://struts.apache.org/release/2.3.x/docs/s2-016.html>

## 9 SSH Weak Password

### Description:

SSH weak password is vulnerable to brute-force attack. Attackers can SSH login system with weak password, gain system control privilege.

### Affected Nodes:

NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.110">192.168.105.110</a>	Target 192.168.105.110 has SSH Weak Password vulnerability

### References:

#	REFERENCE
1	<a href="https://www.owasp.org/index.php/Testing_for_Weak_password_policy_(OTG-AUTHN-007)">https://www.owasp.org/index.php/Testing_for_Weak_password_policy_(OTG-AUTHN-007)</a>

### Vulnerability Solution:

1. Enforce a strong password policy
2. Restrict access only to specific IPs

## 10 - 15 Struts2 Remote Code Execution(S2-045)

### Description:

There is a remote command execution vulnerability in 'Apache Struts2. Malicious users can execute arbitrary java code with ognl syntax on the server, which makes the system execute malicious commands, leading to hackers' invasion, thus threatening the security of the server and greatly affecting it.

### Affected Nodes:

NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd">http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd</a>	Target http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd has Struts2 Remote Code Execution(S2-045) vulnerability

NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd">http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd</a>	Target http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd has Struts2 Remote Code Execution(S2-045) vulnerability
<a href="http://192.168.105.110:8045/doUpload.action">http://192.168.105.110:8045/doUpload.action</a>	Target http://192.168.105.110:8045/doUpload.action has Struts2 Remote Code Execution(S2-045) vulnerability
<a href="http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z">http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z</a>	Target http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z has Struts2 Remote Code Execution(S2-045) vulnerability
<a href="http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z">http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z</a>	Target http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z has Struts2 Remote Code Execution(S2-045) vulnerability
<a href="http://192.168.105.110:8045/doUpload.action">http://192.168.105.110:8045/doUpload.action</a>	Target http://192.168.105.110:8045/doUpload.action has Struts2 Remote Code Execution(S2-045) vulnerability

## References:

#	REFERENCE
1	<a href="https://cwiki.apache.org/confluence/display/WW/S2-045">https://cwiki.apache.org/confluence/display/WW/S2-045</a>

## Vulnerability Solution:

At present, the manufacturer has released an upgrade patch to fix this security problem. The link to get the patch is <https://cwiki.apache.org/confluence/display/WW/S2-045>

## 16 - 21 Struts2 Remote Code Execution(S2-046)

### Description:

There is a remote command execution vulnerability in 'Apache Struts2. Malicious users can execute arbitrary java code with ognl syntax on the server, which makes the system execute malicious commands, leading to hackers' invasion, thus threatening the security of the server and greatly affecting it.

### Affected Nodes:

NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd">http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd</a>	Target http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd has Struts2 Remote Code Execution(S2-046) vulnerability
<a href="http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd">http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd</a>	Target http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd has Struts2 Remote Code Execution(S2-046) vulnerability
<a href="http://192.168.105.110:8045/doUpload.action">http://192.168.105.110:8045/doUpload.action</a>	Target http://192.168.105.110:8045/doUpload.action has Struts2 Remote Code Execution(S2-046) vulnerability

NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z">http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z</a>	Target http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z has Struts2 Remote Code Execution(S2-046) vulnerability
<a href="http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z">http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z</a>	Target http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z has Struts2 Remote Code Execution(S2-046) vulnerability
<a href="http://192.168.105.110:8045/doUpload.action">http://192.168.105.110:8045/doUpload.action</a>	Target http://192.168.105.110:8045/doUpload.action has Struts2 Remote Code Execution(S2-046) vulnerability

## References:

#	REFERENCE
1	<a href="https://cwiki.apache.org/confluence/display/WW/S2-045">https://cwiki.apache.org/confluence/display/WW/S2-045</a>

## Vulnerability Solution:

At present, the manufacturer has released an upgrade patch to fix this security problem. The link to get the patch is <https://cwiki.apache.org/confluence/display/WW/S2-045>

## 22 Struts2 Remote Command Execution(S2-008)

### Description:

There is a remote command execution vulnerability in 'Apache Struts2. Malicious users can execute arbitrary java code with ognl syntax on the server, which makes the system execute malicious commands, leading to hackers' invasion, thus threatening the security of the server and greatly affecting it.

### Affected Nodes:

NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.110:8008/devmode.action">http://192.168.105.110:8008/devmode.action</a>	Target http://192.168.105.110:8008/devmode.action has Struts2 Remote Command Execution(S2-008) vulnerability

## References:

#	REFERENCE
1	<a href="https://cwiki.apache.org/confluence/display/WW/S2-008">https://cwiki.apache.org/confluence/display/WW/S2-008</a>

## Vulnerability Solution:

At present, the manufacturer has released an upgrade patch to fix this security problem. The link to get the patch is <https://cwiki.apache.org/confluence/display/WW/S2-008>

## 23 Struts2 Remote Code Execution(S2-019)

### Description:

There is a remote command execution vulnerability in 'Apache Struts2. Malicious users can execute arbitrary java code with ognl syntax on the server, which makes the system execute malicious commands, leading to hackers' invasion, thus threatening the security of the server and greatly

affecting it.

### Affected Nodes:

NODE(S)	ADDITIONAL INFORMATION
<a href="http://192.168.105.110:8008/devmode.action">http://192.168.105.110:8008/devmode.action</a>	Target <a href="http://192.168.105.110:8008/devmode.action">http://192.168.105.110:8008/devmode.action</a> has Struts2 Remote Code Execution(S2-019) vulnerability

### References:

#	REFERENCE
1	<a href="http://struts.apache.org/release/2.3.x/docs/s2-019.html">http://struts.apache.org/release/2.3.x/docs/s2-019.html</a>

### Vulnerability Solution:

At present, the manufacturer has released an upgrade patch to fix this security problem. The link to get the patch is <http://struts.apache.org/release/2.3.x/docs/s2-019.html>

0 Medium Vulnerabilities

0 Low Vulnerabilities

0 Info Vulnerabilities

## Attack Surface Details

Total 1511

INDEX	METHOD	URL	PARAMETERS
1	GET	<a href="http://192.168.105.110:8000/">http://192.168.105.110:8000/</a>	N/A
2	GET	<a href="http://192.168.105.110:8000/examples/">http://192.168.105.110:8000/examples/</a>	N/A
3	GET	<a href="http://192.168.105.110:8000/tomcat.css">http://192.168.105.110:8000/tomcat.css</a>	N/A
4	GET	<a href="http://192.168.105.110:8000/docs/api/index.html">http://192.168.105.110:8000/docs/api/index.html</a>	N/A
5	GET	<a href="http://192.168.105.110:8000/docs/api/">http://192.168.105.110:8000/docs/api/</a>	N/A

INDEX	METHOD	URL	PARAMETERS
6	GET	http://192.168.105.110:8000/docs/appdev/	N/A
7	GET	http://192.168.105.110:8000/docs/images/docs-stylesheet.css	N/A
8	GET	http://192.168.105.110:8000/docs/images/	N/A
9	GET	http://192.168.105.110:8000/docs/images/fonts/fonts.css	N/A
10	GET	http://192.168.105.110:8000/docs/images/fonts/	N/A
11	GET	http://192.168.105.110:8000/docs/images/fonts/OpenSans400.woff	N/A
12	GET	http://192.168.105.110:8000/docs/	N/A
13	GET	http://192.168.105.110:8000/docs/images/fonts/OpenSans600.woff	N/A
14	GET	http://192.168.105.110:8000/docs/cluster-howto.html	N/A
15	GET	http://192.168.105.110:8000/docs/images/fonts/OpenSans700.woff	N/A
16	GET	http://192.168.105.110:8000/examples/websocket/index.xhtml	N/A
17	GET	http://192.168.105.110:8000/examples/websocket/	N/A
18	GET	http://192.168.105.110:8000/docs/manger-howto.html	N/A

INDEX	METHOD	URL	PARAMETERS
19	GET	http://192.168.105.110:8000/examples/servlets	N/A
20	GET	http://192.168.105.110:8000/docs/security-howto.html	N/A
21	GET	http://192.168.105.110:8000/examples/servlets/	N/A
22	GET	http://192.168.105.110:8000/docs/config/	N/A
23	GET	http://192.168.105.110:8000/docs/real-m-howto.html	N/A
24	GET	http://192.168.105.110:8000/docs/setup.html	N/A
25	GET	http://192.168.105.110:7001/bea_wls_internal	N/A
26	GET	http://192.168.105.110:7001/	N/A
27	GET	http://192.168.105.110:7001/bea_wls_internal/	N/A
28	GET	http://192.168.105.110:7001/bea_wls_internal/HTTPIntRecv	N/A
29	GET	http://192.168.105.110:7001/bea_wls_internal/iiop/ClientRecv	N/A
30	GET	http://192.168.105.110:7001/bea_wls_internal/iiop/	N/A
31	GET	http://192.168.105.110:7001/console/	N/A
32	GET	http://192.168.105.110:8000/docs/changelog.html	N/A

INDEX	METHOD	URL	PARAMETERS
33	POST	http://192.168.105.110:7001/console/j_security_check	N/A
34	GET	http://192.168.105.110:7001/console/login/LoginForm.jsp	N/A
35	GET	http://192.168.105.110:7001/console/login/	N/A
36	GET	http://192.168.105.110:7001/console/css/login.css	N/A
37	GET	http://192.168.105.110:7001/console/css/	N/A
38	GET	http://192.168.105.110:7001/console/framework/skins/wlconsole/css/general.css	N/A
39	GET	http://192.168.105.110:7001/console/framework/skins/wlconsole/css/	N/A
40	GET	http://192.168.105.110:7001/console/framework/skins/wlconsole/css/window.css	N/A
41	GET	http://192.168.105.110:7001/console/j_security_check	N/A
42	GET	http://192.168.105.110:7001/console	N/A
43	GET	http://192.168.105.110:7001/console/base/config.json	N/A
44	GET	http://192.168.105.110:7001/console/base/	N/A
45	GET	http://192.168.105.110:7001/console/payments/config.json	N/A



INDEX	METHOD	URL	PARAMETERS
46	GET	http://192.168.105.110:7001/console/payments/	N/A
47	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html	N/A
48	GET	http://192.168.105.110:7001/uddi	N/A
49	GET	http://192.168.105.110:7001/uddiexplorer	N/A
50	GET	http://192.168.105.110:7001/uddiexplorer/	N/A
51	GET	http://192.168.105.110:7001/uddi/uddilistener	N/A
52	GET	http://192.168.105.110:7001/uddi/	N/A
53	GET	http://192.168.105.110:8000/docs/deployer-howto.html	N/A
54	GET	http://192.168.105.110:8000/docs/index.html	N/A
55	POST	http://192.168.105.110:7001/console/j_security_check	j_username, j_password, j_character_encoding
56	GET	http://192.168.105.110:7001/uddiexplorer/SearchPrivateRegistries.jsp	N/A
57	GET	http://192.168.105.110:7001/uddiexplorer/index.jsp	N/A
58	GET	http://192.168.105.110:7001/uddiexplorer/ModifyRegistry.jsp	N/A

INDEX	METHOD	URL	PARAMETERS
59	GET	http://192.168.105.110:7001/uddiexplorer/PublishToPrivateRegistry.jsp	N/A
60	GET	http://192.168.105.110:7001/uddiexplorer/SetupUDDIExplorer.jsp	N/A
61	GET	http://192.168.105.110:7001/uddiexplorer/SetupUDDIExplorer.jsp?testCookies=true	testCookies
62	GET	http://192.168.105.110:7001/uddiexplorer/cookiesNotSupported.jsp	N/A
63	GET	http://192.168.105.110:8000/docs/comments.html	N/A
64	GET	http://192.168.105.110:7001/uddiexplorer/SearchPublicRegistries.jsp	N/A
65	GET	http://192.168.105.110:8000/docs/tribes/introduction.html	N/A
66	GET	http://192.168.105.110:8000/docs/tribes/	N/A
67	GET	http://192.168.105.110:7001/uddiexplorer/HelpExplorerOverview.jsp	N/A
68	GET	http://192.168.105.110:7001/uddiexplorer/HelpSetupUDDI.jsp	N/A
69	GET	http://192.168.105.110:8000/docs/config/cluster-listener.html	N/A
70	GET	http://192.168.105.110:8000/docs/images/fonts/OpenSans400italic.woff	N/A

INDEX	METHOD	URL	PARAMETERS
71	GET	http://192.168.105.110:8000/docs/config/cluster-deployer.html	N/A
72	GET	http://192.168.105.110:8000/docs/config/service.html	N/A
73	GET	http://192.168.105.110:8000/docs/config/globalresources.html	N/A
74	GET	http://192.168.105.110:7001/uddiexplorer/HelpSearchPublic.jsp	N/A
75	GET	http://192.168.105.110:7001/uddiexplorer/HelpSearchPrivate.jsp	N/A
76	POST	http://192.168.105.110:7001/uddiexplorer/SearchPublicRegistries.jsp	operator, rdoSearch, txtSearchname, txtSearchkey, txtSearchfor, selfor
77	GET	http://192.168.105.110:8000/docs/config/jaspic.html	N/A
78	GET	http://192.168.105.110:7001/uddiexplorer/HelpPublishPrivate.jsp	N/A
79	GET	http://192.168.105.110:7001/uddiexplorer/HelpModifyPrivate.jsp	N/A
80	GET	http://192.168.105.110:7002/bea_wls_internal/iiop/ClientRecv	N/A
81	GET	http://192.168.105.110:7002/bea_wls_internal/iiop/	N/A
82	GET	http://192.168.105.110:8000/docs/config/systemprops.html	N/A

INDEX	METHOD	URL	PARAMETERS
83	GET	http://192.168.105.110:7002/bea_wls_internal	N/A
84	GET	http://192.168.105.110:7002/	N/A
85	GET	http://192.168.105.110:7002/bea_wls_internal/	N/A
86	GET	http://192.168.105.110:7002/bea_wls_internal/HTTPIntRecv	N/A
87	GET	http://192.168.105.110:7001/uddiexplorer/HelpSetupUDI.jsp#changeRegistries	N/A
88	GET	http://192.168.105.110:8000/docs/config/filter.html	N/A
89	GET	http://192.168.105.110:7001/uddiexplorer/HelpSearchPublic.jsp#publicSearchOptions	N/A
90	GET	http://192.168.105.110:7001/uddiexplorer/HelpSearchPublic.jsp#publicSearchClassifications	N/A
91	GET	http://192.168.105.110:8000/docs/appdev/sample/	N/A
92	GET	http://192.168.105.110:7002/console/base/config.json	N/A
93	GET	http://192.168.105.110:7002/console/base/	N/A
94	GET	http://192.168.105.110:8000/docs/appdev/processes.html	N/A

INDEX	METHOD	URL	PARAMETERS
95	GET	http://192.168.105.110:8000/docs/tribes/developers.html	N/A
96	GET	http://192.168.105.110:8000/docs/tribes/status.html	N/A
97	GET	http://192.168.105.110:8000/examples/websocket/drawboard.xhtml	N/A
98	GET	http://192.168.105.110:7002/console/login/LoginForm.jsp	N/A
99	GET	http://192.168.105.110:7002/console/login/	N/A
100	GET	http://192.168.105.110:8000/examples/websocket/snake.xhtml	N/A
101	GET	http://192.168.105.110:7002/console/framework/skins/wlsconsole/css/window.css	N/A
102	GET	http://192.168.105.110:8000/examples/websocket/chat.html	N/A
103	GET	http://192.168.105.110:7002/console/framework/skins/wlsconsole/css/	N/A
104	GET	http://192.168.105.110:8000/examples/websocket/echo.xhtml	N/A
105	GET	http://192.168.105.110:7002/console/framework/skins/wlsconsole/css/general.css	N/A
106	GET	http://192.168.105.110:7002/console/css/login.css	N/A

INDEX	METHOD	URL	PARAMETERS
107	GET	http://192.168.105.110:8000/docs/tribes/interceptors.html	N/A
108	GET	http://192.168.105.110:7002/console/css/	N/A
109	GET	http://192.168.105.110:7002/console/	N/A
110	GET	http://192.168.105.110:8000/docs/tribes/transport.html	N/A
111	GET	http://192.168.105.110:7002/console	N/A
112	GET	http://192.168.105.110:7002/console/_security_check	N/A
113	POST	http://192.168.105.110:7002/console/_security_check	N/A
114	GET	http://192.168.105.110:7001/uddiexplorer/HelpSearchPrivate.jsp#privateSearchOptions	N/A
115	GET	http://192.168.105.110:7002/console/payments/config.json	N/A
116	GET	http://192.168.105.110:7002/console/payments/	N/A
117	GET	http://192.168.105.110:8000/docs/tribes/membership.html	N/A
118	GET	http://192.168.105.110:8000/docs/tribes/faq.html	N/A
119	GET	http://192.168.105.110:8000/docs/tribes/setup.html	N/A

INDEX	METHOD	URL	PARAMETERS
120	GET	http://192.168.105.110:7001/uddiexplorer/HelpPublishPrivate.jsp#publishService	N/A
121	GET	http://192.168.105.110:8000/docs/appdev/source.html	N/A
122	GET	http://192.168.105.110:7001/uddiexplorer/HelpPublishPrivate.jsp#contactInformation	N/A
123	GET	http://192.168.105.110:8000/docs/appdev/deployment.html	N/A
124	GET	http://192.168.105.110:7001/uddiexplorer/HelpPublishPrivate.jsp#serviceInformation	N/A
125	GET	http://192.168.105.110:8000/docs/appdev/installation.html	N/A
126	GET	http://192.168.105.110:8000/docs/appdev/introduction.html	N/A
127	POST	http://192.168.105.110:7002/console/j_security_check	j_username, j_password, j_character_encoding
128	GET	http://192.168.105.110:8000/docs/config/sessionidgenerator.html	N/A
129	GET	http://192.168.105.110:8000/docs/config/resources.html	N/A
130	GET	http://192.168.105.110:8000/docs/config/manager.html	N/A
131	GET	http://192.168.105.110:8000/docs/config/loader.html	N/A

INDEX	METHOD	URL	PARAMETERS
132	GET	http://192.168.105.110:8000/docs/config/jar-scan-filter.html	N/A
133	GET	http://192.168.105.110:8000/docs/config/jar-scanner.html	N/A
134	GET	http://192.168.105.110:8000/docs/config/credentialhandler.html	N/A
135	GET	http://192.168.105.110:8000/docs/config/listeners.html#StoreConfig_Lifecycle_Listener_-_org.apache.catalina.storeconfig.StoreConfigLifecycleListener	N/A
136	GET	http://192.168.105.110:8000/docs/html-manager-howto.html	N/A
137	GET	http://192.168.105.110:8000/docs/config/realm.html	N/A
138	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_Address_Filter	N/A
139	GET	http://192.168.105.110:8000/docs/config/cookie-processor.html	N/A
140	GET	http://192.168.105.110:8000/docs/config/host.html	N/A
141	GET	http://192.168.105.110:8000/docs/config/engine.html	N/A
142	GET	http://192.168.105.110:8000/docs/config/context.html	N/A



INDEX	METHOD	URL	PARAMETERS
143	GET	http://192.168.105.110:8000/docs/config/ajp.html	N/A
144	GET	http://192.168.105.110:8000/docs/config/http2.html	N/A
145	GET	http://192.168.105.110:8000/docs/config/http.html	N/A
146	GET	http://192.168.105.110:8000/docs/config/executor.html	N/A
147	GET	http://192.168.105.110:8000/docs/config/server.html	N/A
148	GET	http://192.168.105.110:8045/	N/A
149	GET	http://192.168.105.110:8008/	N/A
150	GET	http://192.168.105.110:8000/docs/config/cluster-valve.html	N/A
151	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html	N/A
152	GET	http://192.168.105.110:8008/cookie.action	N/A
153	GET	http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd	doUpload.action;jsessionid
154	GET	http://192.168.105.110:8000/examples/servlets/index.html	N/A
155	GET	http://192.168.105.110:8000/examples/servlets/servlet/CookieExample	N/A

INDEX	METHOD	URL	PARAMETERS
156	GET	http://192.168.105.110:8000/examples/servlets/servlet/	N/A
157	GET	http://192.168.105.110:8080/	N/A
158	GET	http://192.168.105.110:8080/css/jboss.css	N/A
159	GET	http://192.168.105.110:8080/css/	N/A
160	GET	http://192.168.105.110:8008/devmode.action	N/A
161	GET	http://192.168.105.110:8000/docs/config/automatic-deployment.html	N/A
162	POST	http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd	N/A
163	GET	http://192.168.105.110:8000/examples/servlets/servlet/RequestHeaderExample	N/A
164	GET	http://192.168.105.110:8045/doUpload.action	N/A
165	GET	http://192.168.105.110:8000/index.jsp	N/A
166	POST	http://192.168.105.110:8045/doUpload.action;jsessionid=1b9mim7hnnj3un5ud6imu7tpd	caption
167	GET	http://192.168.105.110:8000/docs/config/cluster-sender.html	N/A
168	GET	http://192.168.105.110:8000/docs/config/cluster-receiver.html	N/A

INDEX	METHOD	URL	PARAMETERS
169	GET	http://192.168.105.110:8000/docs/config/cluster-membership.html	N/A
170	GET	http://192.168.105.110:8000/docs/config/cluster-channel.html	N/A
171	GET	http://192.168.105.110:8081/	N/A
172	GET	http://192.168.105.110:8000/docs/config/cluster-manager.html	N/A
173	GET	http://192.168.105.110:8000/examples/jsp	N/A
174	GET	http://192.168.105.110:8000/examples/jsp/	N/A
175	GET	http://192.168.105.110:8000/docs/config/cluster.html	N/A
176	GET	http://192.168.105.110:8008/cookie.jsp	N/A
177	GET	http://192.168.105.110:8000/docs/functionspecs/index.html	N/A
178	GET	http://192.168.105.110:8000/docs/functionspecs/	N/A
179	GET	http://192.168.105.110:8000/docs/architecture/index.html	N/A
180	GET	http://192.168.105.110:8000/docs/architecture/	N/A
181	GET	http://192.168.105.110:8000/docs/developers.html	N/A

INDEX	METHOD	URL	PARAMETERS
182	GET	http://192.168.105.110:8008/devmode.jsp	N/A
183	GET	http://192.168.105.110:8000/examples/servlets/reqheaders.html	N/A
184	POST	http://192.168.105.110:8000/examples/servlets/servlet/CookieExample	cookieName, cookieValue
185	GET	http://192.168.105.110:8000/examples/servlets/serverpush/simpleimage	N/A
186	GET	http://192.168.105.110:8000/examples/servlets/serverpush/	N/A
187	POST	http://192.168.105.110:8045/doUpload.action;jsessionid=1wek6jjts60r0y0q9xgcr882t	upload, caption
188	GET	http://192.168.105.110:8000/examples/servlets/nonblocking/bytecounter.html	N/A
189	GET	http://192.168.105.110:8000/examples/servlets/nonblocking/	N/A
190	POST	http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z	N/A
191	POST	http://192.168.105.110:8000/examples/servlets/nonblocking/bytecounter	N/A
192	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/implicit-objects.html	N/A

INDEX	METHOD	URL	PARAMETERS
193	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/	N/A
194	GET	http://192.168.105.110:8000/examples/servlets/nonblocking/numberwriter	N/A
195	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jspattribute/jspattribute.html	N/A
196	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jspattribute/	N/A
197	GET	http://192.168.105.110:8000/examples/jsp/security/protected/index.jsp	N/A
198	GET	http://192.168.105.110:8000/examples/jsp/security/protected/	N/A
199	GET	http://192.168.105.110:8000/examples/jsp/tagplugin/choose.html	N/A
200	GET	http://192.168.105.110:8000/examples/jsp/tagplugin/	N/A
201	POST	http://192.168.105.110:8000/examples/jsp/security/protected/j_security_check;jsessionid=B500F6DEF308964C76AF28445C32CD7F	N/A
202	GET	http://192.168.105.110:8000/examples/jsp/tagplugin/choose.jsp	N/A
203	GET	http://192.168.105.110:8000/examples/jsp/tagplugin/foreach.html	N/A

INDEX	METHOD	URL	PARAMETERS
204	POST	http://192.168.105.110:8045/doUpload.action;jsessionid=1o62koefmdzji17muwc5tv9t3z	caption
205	POST	http://192.168.105.110:8045/doUpload.action	caption
206	GET	http://192.168.105.110:8000/examples/jsp/tagplugin/foreach.jsp	N/A
207	GET	http://192.168.105.110:8000/examples/jsp/tagplugin/if.html	N/A
208	POST	http://192.168.105.110:8045/doUpload.action	upload, caption
209	GET	http://192.168.105.110:8000/examples/jsp/tagplugin/if.jsp	N/A
210	GET	http://192.168.105.110:8000/examples/jsp/xml/xml.html	N/A
211	GET	http://192.168.105.110:8000/examples/jsp/xml/	N/A
212	GET	http://192.168.105.110:8000/examples/jsp/xml/xml.jsp	N/A
213	GET	http://192.168.105.110:8000/examples/jsp/tagplugin/howto.html	N/A
214	GET	http://192.168.105.110:8000/examples/jsp/tagplugin/foreach.jsp.html	N/A
215	GET	http://192.168.105.110:8000/examples/jsp/tagplugin/notes.html	N/A

INDEX	METHOD	URL	PARAMETERS
216	GET	http://192.168.105.110:8000/examples/jsp/tagplugin/if.jsp.html	N/A
217	GET	http://192.168.105.110:8000/examples/jsp/xml/xml.jsp.html	N/A
218	GET	http://192.168.105.110:8000/examples/jsp/tagplugin/choose.jsp.html	N/A
219	GET	http://192.168.105.110:8000/examples/jsp/security/protected/protected	N/A
220	POST	http://192.168.105.110:8000/examples/jsp/security/protected/j_security_check	N/A
221	GET	http://192.168.105.110:8000/examples/jsp/security/protected/security	N/A
222	GET	http://192.168.105.110:8000/examples/jsp/security/protected/jsp	N/A
223	GET	http://192.168.105.110:8000/examples/jsp/security/protected/examples	N/A
224	GET	http://192.168.105.110:8000/examples/jsp/security/protected/j_security_check;jsessionid=B500F6DEF308964C76AF28445C32CD7F	j_security_check;jsessionid
225	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jspattribute/FooBean.html	N/A

INDEX	METHOD	URL	PARAMETERS
226	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jspattribute/HelloWorldSimpleTag.java.html	N/A
227	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jspattribute/jspattribute.jsp.html	N/A
228	GET	http://192.168.105.110:8000/examples/jsp/security/protected/j_security_check	N/A
229	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/implicit-objects.jsp.html	N/A
230	GET	http://192.168.105.110:8000/examples/jsp/index.html	N/A
231	GET	http://192.168.105.110:8000/examples/servlets/nonblocking/bytcounter	N/A
232	POST	http://192.168.105.110:8000/examples/servlets/nonblocking/bytcounter	data, source
233	GET	http://192.168.105.110:8000/examples/jsp/simpletag/foo.html	N/A
234	GET	http://192.168.105.110:8000/examples/jsp/simpletag/	N/A
235	GET	http://192.168.105.110:8000/examples/jsp/simpletag/foo.jsp	N/A
236	GET	http://192.168.105.110:8000/examples/jsp/jsptoserv/jts.html	N/A



INDEX	METHOD	URL	PARAMETERS
237	GET	http://192.168.105.110:8000/examples/jsp/jsptoserv/	N/A
238	GET	http://192.168.105.110:8000/examples/jsp/jsptoserv/jsp/toservlet.jsp	N/A
239	GET	http://192.168.105.110:8000/examples/jsp/plugin/plugin.html	N/A
240	GET	http://192.168.105.110:8000/examples/jsp/plugin/	N/A
241	GET	http://192.168.105.110:8000/examples/jsp/plugin/plugin.jsp	N/A
242	GET	http://192.168.105.110:8000/docs/architecture/requestProcess.html	N/A
243	GET	http://192.168.105.110:8000/docs/architecture/startup.html	N/A
244	GET	http://192.168.105.110:8000/docs/architecture/overview.html	N/A
245	GET	http://192.168.105.110:8000/examples/jsp/forward/fwd.html	N/A
246	GET	http://192.168.105.110:8000/examples/jsp/forward/	N/A
247	GET	http://192.168.105.110:8000/examples/jsp/forward/forward.jsp	N/A
248	GET	http://192.168.105.110:8000/examples/jsp/include/inc.html	N/A

INDEX	METHOD	URL	PARAMETERS
249	GET	http://192.168.105.110:8000/examples/jsp/include/	N/A
250	GET	http://192.168.105.110:8000/examples/jsp/include/include.jsp	N/A
251	GET	http://192.168.105.110:8000/examples/jsp/servlettag/foo.jsp.html	N/A
252	GET	http://192.168.105.110:8000/examples/jsp/plugin/plugin.jsp.html	N/A
253	GET	http://192.168.105.110:8000/examples/jsp/include/include.jsp.html	N/A
254	GET	http://192.168.105.110:8000/examples/jsp/forward/forward.jsp.html	N/A
255	GET	http://192.168.105.110:8000/examples/jsp/jsptoserv/ServletToJsp.java.html	N/A
256	GET	http://192.168.105.110:8000/examples/jsp/jsptoserv/jsp-toservlet.jsp.html	N/A
257	GET	http://192.168.105.110:8000/examples/jsp/cal/calendar.html	N/A
258	GET	http://192.168.105.110:8000/examples/jsp/cal/	N/A
259	GET	http://192.168.105.110:8000/examples/jsp/cal/login.html	N/A
260	GET	http://192.168.105.110:8000/examples/jsp/colors/clr.html	N/A

INDEX	METHOD	URL	PARAMETERS
261	GET	http://192.168.105.110:8000/examples/jsp/colors/	N/A
262	GET	http://192.168.105.110:8000/examples/jsp/colors/colors.html	N/A
263	GET	http://192.168.105.110:8000/examples/jsp/checkbox/result.html	N/A
264	GET	http://192.168.105.110:8000/examples/jsp/checkbox/	N/A
265	GET	http://192.168.105.110:8000/examples/jsp/checkbox/check.html	N/A
266	GET	http://192.168.105.110:8000/examples/jsp/sessions/crt.html	N/A
267	GET	http://192.168.105.110:8000/examples/jsp/sessions/	N/A
268	GET	http://192.168.105.110:8000/examples/jsp/sessions/carts.html	N/A
269	GET	http://192.168.105.110:8000/examples/jsp/error/er.html	N/A
270	GET	http://192.168.105.110:8000/examples/jsp/error/	N/A
271	GET	http://192.168.105.110:8000/examples/jsp/error/error.html	N/A
272	GET	http://192.168.105.110:8000/examples/jsp/snp/snoop.html	N/A
273	GET	http://192.168.105.110:8000/examples/jsp/snp/	N/A

INDEX	METHOD	URL	PARAMETERS
274	GET	http://192.168.105.110:8000/examples/jsp/snp/snoop.jsp	N/A
275	GET	http://192.168.105.110:8000/examples/jsp/dates/date.html	N/A
276	GET	http://192.168.105.110:8000/examples/jsp/dates/	N/A
277	GET	http://192.168.105.110:8000/examples/jsp/dates/date.jsp	N/A
278	GET	http://192.168.105.110:8000/examples/jsp/num/numguess.html	N/A
279	GET	http://192.168.105.110:8000/examples/jsp/num/	N/A
280	GET	http://192.168.105.110:8000/examples/jsp/num/numguess.jsp	N/A
281	GET	http://192.168.105.110:8000/examples/jsp/jsp2/misc/config.html	N/A
282	GET	http://192.168.105.110:8000/examples/jsp/jsp2/misc/	N/A
283	GET	http://192.168.105.110:8000/examples/jsp/jsp2/misc/config.jsp	N/A
284	GET	http://192.168.105.110:8000/examples/jsp/colors/colrs.jsp	N/A
285	GET	http://192.168.105.110:8008/cookie	N/A
286	GET	http://192.168.105.110:8008/index.html	N/A

INDEX	METHOD	URL	PARAMETERS
287	GET	http://192.168.105.110:8000/examples/jsp/sessions/carts.jsp?item=Beavis+%26+Butthead+Video+collection&submit=add	item, submit
288	GET	http://192.168.105.110:8000/examples/jsp/error/err.jsp	N/A
289	GET	http://192.168.105.110:8000/examples/jsp/error/err.jsp?name=integra&submit=Submit	name, submit
290	GET	http://192.168.105.110:8080/index.html	N/A
291	GET	http://192.168.105.110:8000/examples/jsp/dates/date.jsp.html	N/A
292	GET	http://192.168.105.110:8080/admin-console	N/A
293	GET	http://192.168.105.110:8000/examples/jsp/jsp2/misc/coda.jspf.html	N/A
294	GET	http://192.168.105.110:8080/admin-console/	N/A
295	POST	http://192.168.105.110:8000/examples/jsp/colors/colrs.jsp	color1, color2, action
296	GET	http://192.168.105.110:8080/jmx-console	N/A
297	GET	http://192.168.105.110:8000/examples/jsp/jsp2/misc/prlude.jspf.html	N/A

INDEX	METHOD	URL	PARAMETERS
298	GET	http://192.168.105.110:8000/examples/jsp/jsp2/misc/config.jsp.html	N/A
299	GET	http://192.168.105.110:8000/examples/jsp/num/numguess.jsp.html	N/A
300	GET	http://192.168.105.110:8000/examples/jsp/snp/snoop.jsp.html	N/A
301	GET	http://192.168.105.110:8000/examples/jsp/error/err.jsp.html	N/A
302	GET	http://192.168.105.110:8000/examples/jsp/sessions/carts.jsp	N/A
303	GET	http://192.168.105.110:8000/examples/jsp/sessions/DummyCart.html	N/A
304	GET	http://192.168.105.110:8000/examples/jsp/sessions/carts.jsp.html	N/A
305	GET	http://192.168.105.110:8000/examples/jsp/checkbox/checkresult.jsp	N/A
306	GET	http://192.168.105.110:8000/examples/jsp/checkbox/checkresult.jsp?submit=Submit	submit
307	GET	http://192.168.105.110:8000/examples/jsp/checkbox/CheckTest.html	N/A
308	GET	http://192.168.105.110:8000/examples/jsp/checkbox/checkresult.jsp.html	N/A

INDEX	METHOD	URL	PARAMETERS
309	GET	http://192.168.105.110:8000/examples/jsp/cal/cal1.jsp	N/A
310	GET	http://192.168.105.110:8000/docs/appdev/index.html	N/A
311	GET	http://192.168.105.110:8000/examples/jsp/cal/Entry.java.html	N/A
312	GET	http://192.168.105.110:8000/examples/jsp/cal/Entries.java.html	N/A
313	GET	http://192.168.105.110:8000/examples/jsp/colors/ColorGameBean.html	N/A
314	GET	http://192.168.105.110:8000/examples/jsp/colors/colrs.jsp.html	N/A
315	GET	http://192.168.105.110:8000/examples/jsp/cal/cal1.jsp?name=zs1qXoZk&email=GwsmFbPe&action=Submit	name, email, action
316	GET	http://192.168.105.110:8000/examples/jsp/cal/TableBean.java.html	N/A
317	GET	http://192.168.105.110:8000/examples/jsp/cal/cal2.jsp.html	N/A
318	GET	http://192.168.105.110:8000/examples/jsp/cal/cal1.jsp.html	N/A
319	GET	http://192.168.105.110:8000/docs/functionspecs/fs-memory-realm.html	N/A

INDEX	METHOD	URL	PARAMETERS
320	GET	http://192.168.105.110:8000/docs/fun cspecs/fs-jndi- realm.html	N/A
321	GET	http://192.168.105.110:8000/docs/fun cspecs/fs-jdbc- realm.html	N/A
322	GET	http://192.168.105.110:8000/docs/fun cspecs/fs- default.html	N/A
323	GET	http://192.168.105.110:8000/docs/fun cspecs/fs-admin- opers.html	N/A
324	GET	http://192.168.105.110:8045/upload	N/A
325	GET	http://192.168.105.111/	N/A
326	GET	http://192.168.105.110:8000/docs/fun cspecs/fs-admin- objects.html	N/A
327	GET	http://192.168.105.110:8000/docs/fun cspecs/mbean- names.html	N/A
328	GET	http://192.168.105.110:8000/docs/fun cspecs/fs-admin- apps.html	N/A
329	GET	http://192.168.105.110:8000/example s/jsp/jsp2/misc/dy namicattrs.html	N/A
330	GET	http://192.168.105.110:8000/example s/jsp/jsp2/misc/dy namicattrs.jsp	N/A
331	GET	http://192.168.105.110:8000/example s/jsp/jsp2/jspattrib ute/shuffle.html	N/A



INDEX	METHOD	URL	PARAMETERS
332	GET	http://192.168.105.110:8000/examples/jsp/cal/cal2.jsp?time=3pm	time
333	GET	http://192.168.105.110:8000/examples/jsp/jsp2/misc/EchoAttributesTag.java.html	N/A
334	GET	http://192.168.105.110:8000/examples/jsp/jsp2/misc/dynamicattrs.jsp.html	N/A
335	GET	http://192.168.105.110:8000/examples/jsp/cal/cal1.jsp?date=next	date
336	POST	http://192.168.105.110:8000/examples/jsp/cal/cal1.jsp	date, time, description
337	GET	http://192.168.105.110:8000/docs/appdev/#comments_section	N/A
338	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jspattribute/TileSimpleTag.java.html	N/A
339	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jspattribute/ShuffleSimpleTag.java.html	N/A
340	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jspattribute/shuffle.jsp.html	N/A
341	POST	http://192.168.105.110:8000/examples/jsp/cal/cal1.jsp	N/A
342	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jspattribute/shuffle.jsp	N/A

INDEX	METHOD	URL	PARAMETERS
343	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jspattribute/jspattribute.jsp	N/A
344	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jsp/textRotate.html	N/A
345	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jsp/	N/A
346	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jsp/svgexample.html	N/A
347	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jsp/basic.html	N/A
348	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jsp/basic.jsp	N/A
349	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/products.html	N/A
350	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/	N/A
351	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/products.jsp	N/A
352	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/panel.html	N/A
353	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/panel.jsp	N/A
354	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/hello.html	N/A

INDEX	METHOD	URL	PARAMETERS
355	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/hello.jsp	N/A
356	GET	http://192.168.105.110:8000/examples/jsp/jsp2/simpletag/book.html	N/A
357	GET	http://192.168.105.110:8000/examples/jsp/jsp2/simpletag/	N/A
358	GET	http://192.168.105.110:8000/examples/jsp/jsp2/simpletag/book.jsp	N/A
359	GET	http://192.168.105.110:8000/examples/jsp/jsp2/simpletag/repeat.html	N/A
360	GET	http://192.168.105.110:8000/examples/jsp/jsp2/simpletag/repeat.jsp	N/A
361	GET	http://192.168.105.110:8000/examples/jsp/jsp2/simpletag/hello.html	N/A
362	GET	http://192.168.105.110:8000/examples/jsp/jsp2/simpletag/hello.jsp	N/A
363	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/composite.html	N/A
364	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jsp/basic.jsp.html	N/A
365	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/panel.tag.html	N/A

INDEX	METHOD	URL	PARAMETERS
366	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/panel.jsp.html	N/A
367	GET	http://192.168.105.110:8000/examples/jsp/jsp2/servletag/FindBookSimpleTag.java.html	N/A
368	GET	http://192.168.105.110:8000/examples/jsp/jsp2/servletag/RepeatSimpleTag.java.html	N/A
369	GET	http://192.168.105.110:8000/examples/jsp/jsp2/servletag/HelloWorldSimpleTag.java.html	N/A
370	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/ValueSBean.java.html	N/A
371	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/ValueSTag.java.html	N/A
372	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/composite.jsp.html	N/A
373	GET	http://192.168.105.110:8000/examples/jsp/jsp2/servletag/hello.jsp.html	N/A
374	GET	http://192.168.105.110:8000/examples/jsp/jsp2/servletag/repeat.jsp.html	N/A
375	GET	http://192.168.105.110:8000/examples/jsp/jsp2/servletag/Functions.java.html	N/A

INDEX	METHOD	URL	PARAMETERS
376	GET	http://192.168.105.110:8000/examples/jsp/jsp2/servlets/BookBean.java.html	N/A
377	GET	http://192.168.105.110:8000/examples/jsp/jsp2/servlets/book.jsp.html	N/A
378	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/helloWorld.tag.html	N/A
379	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/hello.jsp.html	N/A
380	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/displayProducts.tag.html	N/A
381	GET	http://192.168.105.110:8000/examples/jsp/jsp2/tagfiles/products.jsp.html	N/A
382	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jsp/text/rotate.jsp.html	N/A
383	GET	http://192.168.105.110:8000/examples/jsp/jsp2/jsp/text/rotate.jsp	N/A
384	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/composite.jsp	N/A
385	GET	http://192.168.105.111/aspnet_client	N/A
386	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/functions.html	N/A

INDEX	METHOD	URL	PARAMETERS
387	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/implicit-objects.jsp?foo=bar	foo
388	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/basic-comparisons.html	N/A
389	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/basic-comparisons.jsp	N/A
390	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/basic-arithmetic.html	N/A
391	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/basic-arithmetic.jsp	N/A
392	GET	http://192.168.105.110:8000/examples/async/async3	N/A
393	GET	http://192.168.105.110:8000/examples/async/	N/A
394	GET	http://192.168.105.110:8000/examples/servlets/sessions.html	N/A
395	GET	http://192.168.105.110:8000/examples/servlets/servlet/SessionExample	N/A
396	GET	http://192.168.105.110:8000/examples/servlets/cookies.html	N/A
397	GET	http://192.168.105.110:8000/examples/servlets/reqparams.html	N/A
398	GET	http://192.168.105.110:8000/examples/async/async2	N/A

INDEX	METHOD	URL	PARAMETERS
399	GET	http://192.168.105.110:8000/examples/async/async1	N/A
400	GET	http://192.168.105.110:8000/examples/async/async0	N/A
401	GET	http://192.168.105.110:8000/examples/servlets/servlet/RequestParamExample	N/A
402	GET	http://192.168.105.110:8000/examples/servlets/reqinfo.html	N/A
403	GET	http://192.168.105.110:8000/examples/servlets/servlet/RequestInfoExample	N/A
404	GET	http://192.168.105.110:8000/examples/servlets/helloworld.html	N/A
405	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/functions.jsp	N/A
406	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/Functions.java.html	N/A
407	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/implicit-objects.jsp	N/A
408	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/basic-comparisons.jsp.html	N/A
409	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/basic-arithmetic.jsp.html	N/A

INDEX	METHOD	URL	PARAMETERS
410	GET	http://192.168.105.110:8000/examples/jsp/jsp2/el/functions.jsp.html	N/A
411	GET	http://192.168.105.110:8000/examples/servlets/servlet/HelloWorldExample	N/A
412	GET	http://192.168.105.110:8000/docs/building.html	N/A
413	GET	http://192.168.105.110:8000/docs/websocketapi/index.html	N/A
414	GET	http://192.168.105.110:8000/docs/websocketapi/	N/A
415	GET	http://192.168.105.110:8000/docs/elapi/index.html	N/A
416	GET	http://192.168.105.110:8000/docs/elapi/	N/A
417	GET	http://192.168.105.110:8000/docs/jspapi/index.html	N/A
418	GET	http://192.168.105.110:8000/docs/jspapi/	N/A
419	GET	http://192.168.105.110:8000/docs/servletapi/index.html	N/A
420	GET	http://192.168.105.110:8000/docs/servletapi/	N/A
421	GET	http://192.168.105.110:8000/docs/config/index.html	N/A
422	GET	http://192.168.105.110:8000/docs/rewrite.html	N/A



INDEX	METHOD	URL	PARAMETERS
423	GET	<a href="http://192.168.105.110:8000/docs/web-socket-howto.html">http://192.168.105.110:8000/docs/web-socket-howto.html</a>	N/A
424	GET	<a href="http://192.168.105.110:8000/docs/windows-auth-howto.html">http://192.168.105.110:8000/docs/windows-auth-howto.html</a>	N/A
425	GET	<a href="http://192.168.105.110:8000/docs/jdbc-pool.html">http://192.168.105.110:8000/docs/jdbc-pool.html</a>	N/A
426	GET	<a href="http://192.168.105.110:8000/docs/windows-service-howto.html">http://192.168.105.110:8000/docs/windows-service-howto.html</a>	N/A
427	GET	<a href="http://192.168.105.110:8000/docs/maven-jars.html">http://192.168.105.110:8000/docs/maven-jars.html</a>	N/A
428	GET	<a href="http://192.168.105.110:8000/docs/extras.html">http://192.168.105.110:8000/docs/extras.html</a>	N/A
429	GET	<a href="http://192.168.105.110:8000/docs/aio.html">http://192.168.105.110:8000/docs/aio.html</a>	N/A
430	GET	<a href="http://192.168.105.110:8000/docs/virtual-hosting-howto.html">http://192.168.105.110:8000/docs/virtual-hosting-howto.html</a>	N/A
431	GET	<a href="http://192.168.105.110:8000/docs/apr.html">http://192.168.105.110:8000/docs/apr.html</a>	N/A
432	GET	<a href="http://192.168.105.110:8000/docs/logging.html">http://192.168.105.110:8000/docs/logging.html</a>	N/A
433	GET	<a href="http://192.168.105.110:8000/docs/monitoring.html">http://192.168.105.110:8000/docs/monitoring.html</a>	N/A
434	GET	<a href="http://192.168.105.110:8000/docs/connectors.html">http://192.168.105.110:8000/docs/connectors.html</a>	N/A
435	GET	<a href="http://192.168.105.110:8000/docs/balancer-howto.html">http://192.168.105.110:8000/docs/balancer-howto.html</a>	N/A

INDEX	METHOD	URL	PARAMETERS
436	GET	http://192.168.105.110:8090/opensearch/osd.action	N/A
437	GET	http://192.168.105.110:8090/opensearch/	N/A
438	GET	http://192.168.105.110:8090/forgotuserpassword.action	N/A
439	GET	http://192.168.105.110:8090/	N/A
440	GET	http://192.168.105.110:8000/docs/config/#comments_section	N/A
441	GET	http://192.168.105.110:8090/s/1d471c355da7a44bab9a032513f38e8e-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/7ec8977e29aeff7c61d6e29b9dabd9e3/_download/contextbatch/js/main,-_super/batch.js?analytics-enabled=true&is-server-instance=true&locale=zh-CN	analytics-enabled, is-server-instance, locale
442	GET	http://192.168.105.110:8090/s/1d471c355da7a44bab9a032513f38e8e-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/7ec8977e29aeff7c61d6e29b9dabd9e3/_download/contextbatch/js/main,-_super/	N/A

INDEX	METHOD	URL	PARAMETERS
443	GET	http://192.168.105.110:8090/s/611672383f6cab00ab202241ba6f9d68-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/7ec8977e29aeff7c61d6e29b9dabd9e3/_download/contextbatch/css/main,-_super/batch.css?analytics-enabled=true&is-server-instance=true	analytics-enabled, is-server-instance
444	GET	http://192.168.105.110:8090/s/611672383f6cab00ab202241ba6f9d68-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/7ec8977e29aeff7c61d6e29b9dabd9e3/_download/contextbatch/css/main,-_super/	N/A
445	GET	http://192.168.105.110:8090/s/d41d8cd98f00b204e9800998ecf8427e-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/711dcd1dc1a104bc3d6e8ee9f4e8611a/_download/contextbatch/css/atl.general,-_super/batch.css?hostenabled=true&is-server-instance=true	hostenabled, is-server-instance

INDEX	METHOD	URL	PARAMETERS
446	GET	http://192.168.105.110:8090/s/d41d8cd98f00b204e9800998ecf8427e-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/711dcd1dc1a104bc3d6e8ee9f4e8611a/_download/contextbatch/css/atl.general,-_super/	N/A
447	GET	http://192.168.105.110:8090/s/e4ebc4a6acff4d231d4f6e15d2a237d4-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/711dcd1dc1a104bc3d6e8ee9f4e8611a/_download/contextbatch/js/atl.general,-_super/batch.js?hostenabed=true&is-server-instance=true&locale=zh-CN	hostenabed, is-server-instance, locale
448	GET	http://192.168.105.110:8090/s/e4ebc4a6acff4d231d4f6e15d2a237d4-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/711dcd1dc1a104bc3d6e8ee9f4e8611a/_download/contextbatch/js/atl.general,-_super/	N/A
449	GET	http://192.168.105.110:8090/s/cc9f72479949e9bc0fc04b316b235e0f-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/53999db31b88100f09a8a926ca47e3ac/_download/contextbatch/css/login,-_super/batch.css	N/A

INDEX	METHOD	URL	PARAMETERS
450	GET	http://192.168.105.110:8090/s/cc9f72479949e9bc0fc04b316b235e0f-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/53999db31b88100f09a8a926ca47e3ac/_download/contextbatch/css/login,-_super/	N/A
451	GET	http://192.168.105.110:8090/s/9ddc95ab69f9718b3dcf3d3ff823d06f-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/d67ecc9913c9b8626d5eb6c5f726dfc4/_download/contextbatch/css/_super/batch.css	N/A
452	GET	http://192.168.105.110:8090/s/9ddc95ab69f9718b3dcf3d3ff823d06f-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/d67ecc9913c9b8626d5eb6c5f726dfc4/_download/contextbatch/css/_super/	N/A
453	GET	http://192.168.105.110:8090/s/019e62a8bb1a600f8c795a9cfbdd063d-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/d67ecc9913c9b8626d5eb6c5f726dfc4/_download/contextbatch/js/_super/batch.js?locale=zh-CN	locale

INDEX	METHOD	URL	PARAMETERS
454	GET	http://192.168.105.110:8090/s/019e62a8bb1a600f8c795a9cfbdd063d-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/d67ecc9913c9b8626d5eb6c5f726dfc4/_download/contextbatch/js/_super/	N/A
455	GET	http://192.168.105.110:8090/administrators.action	N/A
456	GET	http://192.168.105.110:8090/jcaptcha?id=738246092	id
457	GET	http://192.168.105.110:8090/includes/soy/page-loading-indicator.soy	N/A
458	GET	http://192.168.105.110:8090/includes/soy/	N/A
459	GET	http://192.168.105.110:8000/docs/config/listeners.html	N/A
460	GET	http://192.168.105.110:8090/s/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/7.6.3/_download/resources/com.atlassian.auiplugin:internal-iconfont-v2/fonts/adg-icons.woff	N/A
461	GET	http://192.168.105.110:8090/s/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/7.6.3/_download/resources/com.atlassian.auiplugin:internal-iconfont-v2/fonts/	N/A

INDEX	METHOD	URL	PARAMETERS
462	GET	http://192.168.105.110:8090/s/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/7.6.3/_/download/resources/com.atlassian.auiplugin:internal-iconfont-v2/fonts/adg-icons.ttf	N/A
463	GET	http://192.168.105.110:8090/s/336fbff3af7f9736cc848001e32dd2f1-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/1.0/_/download/batch/confluence.web.resources:login/confluence.web.resources:login.js?locale=zh-CN	locale
464	GET	http://192.168.105.110:8090/s/336fbff3af7f9736cc848001e32dd2f1-CDN/zh_CN/7702/fee96fdad3b600d4843bc89ccaf16ec6d71d5b89/1.0/_/download/batch/confluence.web.resources:login/	N/A
465	GET	http://192.168.105.110:8090/includes/css/login.less	N/A
466	GET	http://192.168.105.110:8090/includes/css/	N/A
467	GET	http://192.168.105.110:8090/aboutconfluencepage.action	N/A
468	GET	http://192.168.105.110:8090/dashboard/configurerssfeed.action	N/A

INDEX	METHOD	URL	PARAMETERS
469	GET	http://192.168.105.110:8090/dashboard/	N/A
470	GET	http://192.168.105.110:8090/includes/css/dialog.less	N/A
471	GET	http://192.168.105.110:8090/includes/css/aui-overrides.less	N/A
472	GET	http://192.168.105.110:8090/includes/css/userlink.less	N/A
473	GET	http://192.168.105.110:8090/includes/css/components/property-panel.less	N/A
474	GET	http://192.168.105.110:8090/includes/css/components/	N/A
475	GET	http://192.168.105.110:8090/includes/css/network-macro.less	N/A
476	GET	http://192.168.105.110:8090/includes/css/wiki-content.less	N/A
477	GET	http://192.168.105.110:8090/includes/css/master.less	N/A
478	GET	http://192.168.105.110:8090/includes/css/tables.less	N/A
479	GET	http://192.168.105.110:8090/includes/css/time.less	N/A
480	GET	http://192.168.105.110:8090/includes/css/view-content.less	N/A
481	GET	http://192.168.105.110:8090/includes/css/entity-list.less	N/A



INDEX	METHOD	URL	PARAMETERS
482	GET	http://192.168.105.110:8090/includes/css/default-theme.less	N/A
483	GET	http://192.168.105.110:8090/styles/colors-css.vm	N/A
484	GET	http://192.168.105.110:8090/styles/	N/A
485	GET	http://192.168.105.110:8000/docs/config/valve.html	N/A
486	GET	http://192.168.105.110:8000/docs/setup.html#comments_section	N/A
487	GET	http://192.168.105.110:8000/docs/introduction.html	N/A
488	GET	http://192.168.105.110:8000/docs/security-manager-howto.html	N/A
489	GET	http://192.168.105.110:8000/docs	N/A
490	GET	http://192.168.105.110:8000/docs/class-loader-howto.html	N/A
491	GET	http://192.168.105.110:8090/includes/soy/dialog.soy	N/A
492	GET	http://192.168.105.110:8090/users/userinfopopup.action	N/A
493	GET	http://192.168.105.110:8000/docs/jasper-howto.html	N/A
494	GET	http://192.168.105.110:8090/users/	N/A

INDEX	METHOD	URL	PARAMETERS
495	GET	http://192.168.105.110:8090/includes/soy/manage-watchers.soy	N/A
496	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html	N/A
497	GET	http://192.168.105.110:8000/docs/cgi-howto.html	N/A
498	GET	http://192.168.105.110:8090/includes/soy/breadcrumbs.soy	N/A
499	GET	http://192.168.105.110:8000/docs/ssi-howto.html	N/A
500	GET	http://192.168.105.110:8000/docs/ssl-howto.html	N/A
501	GET	http://192.168.105.110:8090/includes/soy/dom-filter-field.soy	N/A
502	GET	http://192.168.105.110:8000/docs/mbears-descriptors-howto.html	N/A
503	GET	http://192.168.105.110:8000/docs/proxy-howto.html	N/A
504	GET	http://192.168.105.110:8000/docs/default-servlet.html	N/A
505	GET	http://192.168.105.110:8000/examples	N/A
506	GET	http://192.168.105.110:8000/docs/images/fonts/OpenSans700italic.woff	N/A
507	GET	http://192.168.105.110:8000/manager	N/A

INDEX	METHOD	URL	PARAMETERS
508	GET	http://192.168.105.110:8000/docs/setup.html#Introduction	N/A
509	GET	http://192.168.105.110:8000/docs/setup.html#Windows	N/A
510	GET	http://192.168.105.110:8000/docs/setup.html#Unix_daemon	N/A
511	GET	http://192.168.105.110:8000/docs/#comments_section	N/A
512	GET	http://192.168.105.110:8000/docs/cluster-howto.html#comments_section	N/A
513	GET	http://192.168.105.110:8000/docs/cluster-howto.html#Security	N/A
514	GET	http://192.168.105.110:8090/about	N/A
515	GET	http://192.168.105.110:8000/docs/cluster-howto.html#For_the_impatient	N/A
516	GET	http://192.168.105.110:8000/docs/cluster-howto.html#Cluster_Basics	N/A
517	GET	http://192.168.105.110:8000/docs/cluster-howto.html#Overview	N/A
518	GET	http://192.168.105.110:8000/docs/cluster-howto.html#Cluster_Information	N/A

INDEX	METHOD	URL	PARAMETERS
519	GET	http://192.168.105.110:8000/docs/cluster-howto.html#Configuration_Example	N/A
520	GET	http://192.168.105.110:8000/docs/cluster-howto.html#Bind_session_after_crash_to_failover_node	N/A
521	GET	http://192.168.105.110:8000/docs/cluster-howto.html#Cluster_Architecture	N/A
522	GET	http://192.168.105.110:8000/docs/cluster-howto.html#How_it_Works	N/A
523	GET	http://192.168.105.110:8000/docs/cluster-howto.html#Monitoring_your_Cluster_with_JMX	N/A
524	GET	http://192.168.105.110:8000/docs/cluster-howto.html#FAQ	N/A
525	GET	http://192.168.105.110:8000/docs/security-howto.html#Introduction	N/A
526	GET	http://192.168.105.110:8000/docs/security-howto.html#comments_section	N/A
527	GET	http://192.168.105.110:8000/docs/security-howto.html#Default_web_applications	N/A

INDEX	METHOD	URL	PARAMETERS
528	GET	http://192.168.105.110:8000/docs/security-howto.html#Default_web_applications/General	N/A
529	GET	http://192.168.105.110:8000/docs/security-howto.html#ROOT	N/A
530	GET	http://192.168.105.110:8000/docs/security-howto.html#Non-Tomcat_settings	N/A
531	GET	http://192.168.105.110:8000/docs/security-howto.html#Documentation	N/A
532	GET	http://192.168.105.110:8000/docs/security-howto.html#JMX	N/A
533	GET	http://192.168.105.110:8000/docs/security-howto.html#Examples	N/A
534	GET	http://192.168.105.110:8000/docs/security-howto.html#Default_web_applications/Manager	N/A
535	GET	http://192.168.105.110:8000/docs/security-howto.html#Host_Manager	N/A
536	GET	http://192.168.105.110:8000/docs/security-howto.html#Securing_Management_Applications	N/A

INDEX	METHOD	URL	PARAMETERS
537	GET	http://192.168.105.110:8000/docs/security-howto.html#Security_manager	N/A
538	GET	http://192.168.105.110:8000/docs/security-howto.html#Server	N/A
539	GET	http://192.168.105.110:8000/docs/security-howto.html#server.xml/General	N/A
540	GET	http://192.168.105.110:8000/docs/security-howto.html#Host	N/A
541	GET	http://192.168.105.110:8000/docs/security-howto.html#server.xml	N/A
542	GET	http://192.168.105.110:8000/docs/security-howto.html#Listeners	N/A
543	GET	http://192.168.105.110:8000/docs/security-howto.html#Connectors	N/A
544	GET	http://192.168.105.110:8000/docs/security-howto.html#Context	N/A
545	GET	http://192.168.105.110:8000/docs/security-howto.html#Valves	N/A
546	GET	http://192.168.105.110:8000/docs/security-howto.html#Realms	N/A

INDEX	METHOD	URL	PARAMETERS
547	GET	http://192.168.105.110:8000/docs/security-howto.html#server.xml/Manager	N/A
548	GET	http://192.168.105.110:8000/docs/security-howto.html#Cluster	N/A
549	GET	http://192.168.105.110:8000/docs/config/realms.html#LockOutRealm-org.apache.catalina.realm.LockOutRealm	N/A
550	GET	http://192.168.105.110:8000/docs/security-howto.html#SystemProperties	N/A
551	GET	http://192.168.105.110:8000/docs/security-howto.html#General	N/A
552	GET	http://192.168.105.110:8000/docs/security-howto.html#web.xml	N/A
553	GET	http://192.168.105.110:8000/docs/config/valves.html#RemoteAddressValve	N/A
554	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#comments_section	N/A

INDEX	METHOD	URL	PARAMETERS
555	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Driver_Manager,_the_service_provider_mechanism_and_memory_leaks	N/A
556	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Introduction	N/A
557	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Database_Connection_Pool_(DBCP_2)_Configurations	N/A
558	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Installation	N/A
559	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Preventing_database_connection_pool_leaks	N/A
560	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#MySQL_DBCP_Example	N/A
561	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Oracle_8i,_9i_&_10g	N/A



INDEX	METHOD	URL	PARAMETERS
562	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#PostgreSQL	N/A
563	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Non-DBCP_Solutions	N/A
564	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Oracle_8i_with_OCI_client	N/A
565	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Oracle_8i_with_OCI_client/Introduction	N/A
566	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Common_Problems	N/A
567	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Intermittent_Database_Connection_Failures	N/A
568	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Random_Connection_Closed_Exceptions	N/A

INDEX	METHOD	URL	PARAMETERS
569	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Putting_it_all_together	N/A
570	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#Context_versus_Global_Naming_Resources	N/A
571	GET	http://192.168.105.110:8000/docs/jndi-datasource-examples-howto.html#JNDI_Resource_Naming_and_Realm_Interaction	N/A
572	GET	http://192.168.105.110:8000/docs/depoyer-howto.html#comments_section	N/A
573	GET	http://192.168.105.110:8000/docs/depoyer-howto.html#Introduction	N/A
574	GET	http://192.168.105.110:8000/docs/depoyer-howto.html#Installation	N/A
575	GET	http://192.168.105.110:8000/docs/depoyer-howto.html#A_word_on_Contexts	N/A
576	GET	http://192.168.105.110:8000/docs/depoyer-howto.html#Deployment_on_Tomcat_startup	N/A

INDEX	METHOD	URL	PARAMETERS
577	GET	http://192.168.105.110:8000/docs/dep loyer- howto.html#Deplo ying_on_a_running _Tomcat_server	N/A
578	GET	http://192.168.105.110:8000/docs/dep loyer- howto.html#Deplo ying_using_the_To mcat_Manager	N/A
579	GET	http://192.168.105.110:8000/docs/dep loyer- howto.html#Deplo ying_using_the_Cli ent_Deployer_Pack age	N/A
580	GET	http://192.168.105.110:8000/docs/trib es/introduction.ht ml#comments_sec tion	N/A
581	GET	http://192.168.105.110:8000/docs/trib es/introduction.ht ml#Quick_Start	N/A
582	GET	http://192.168.105.110:8000/docs/trib es/introduction.ht ml#What_is_Tribes	N/A
583	GET	http://192.168.105.110:8000/docs/trib es/introduction.ht ml#Why_another_ messaging_frame work	N/A
584	GET	http://192.168.105.110:8000/docs/trib es/introduction.ht ml#Feature_Overvi ew	N/A
585	GET	http://192.168.105.110:8000/docs/trib es/introduction.ht ml#Where_can_I_g et_Tribes	N/A

INDEX	METHOD	URL	PARAMETERS
586	GET	http://192.168.105.110:8000/docs/appdev/introduction.html#comments_section	N/A
587	GET	http://192.168.105.110:8000/docs/appdev/index.html#comments_section	N/A
588	GET	http://192.168.105.110:8000/docs/realm-howto.html#comments_section	N/A
589	GET	http://192.168.105.110:8000/docs/realm-howto.html#Quick_Start	N/A
590	GET	http://192.168.105.110:8000/docs/realm-howto.html#Overview	N/A
591	GET	http://192.168.105.110:8000/docs/realm-howto.html#What_is_a_Realm?	N/A
592	GET	http://192.168.105.110:8000/docs/realm-howto.html#Configuring_a_Realm	N/A
593	GET	http://192.168.105.110:8000/docs/realm-howto.html#Common_Features	N/A
594	GET	http://192.168.105.110:8000/docs/realm-howto.html#Example_Application	N/A
595	GET	http://192.168.105.110:8000/docs/realm-howto.html#Digested_Passwords	N/A

INDEX	METHOD	URL	PARAMETERS
596	GET	http://192.168.105.110:8000/docs/real m- howto.html#Mana ger_Application	N/A
597	GET	http://192.168.105.110:8000/docs/real m- howto.html#Realm _Logging	N/A
598	GET	http://192.168.105.110:8000/docs/real m- howto.html#Stand ard_Realm_Imple mentations	N/A
599	GET	http://192.168.105.110:8000/docs/real m- howto.html#JDBCR ealm	N/A
600	GET	http://192.168.105.110:8000/docs/real m- howto.html#DataS ourceRealm	N/A
601	GET	http://192.168.105.110:8000/docs/real m- howto.html#JNDIR ealm	N/A
602	GET	http://192.168.105.110:8000/docs/real m- howto.html#UserD atabaseRealm	N/A
603	GET	http://192.168.105.110:8000/docs/real m- howto.html#Memo ryRealm	N/A
604	GET	http://192.168.105.110:8000/docs/real m- howto.html#JAASR ealm	N/A

INDEX	METHOD	URL	PARAMETERS
605	GET	http://192.168.105.110:8000/docs/real-m-howto.html#CombinedRealm	N/A
606	GET	http://192.168.105.110:8000/docs/real-m-howto.html#LockOutRealm	N/A
607	GET	http://192.168.105.110:8000/docs/config/host.html#Single_Sign_On	N/A
608	GET	http://192.168.105.110:8000/docs/app-dev/installation.html#comments_section	N/A
609	GET	http://192.168.105.110:8000/docs/app-dev/deployment.html#comments_section	N/A
610	GET	http://192.168.105.110:8000/docs/app-dev/deployment.html#Background	N/A
611	GET	http://192.168.105.110:8000/docs/app-dev/deployment.html#Standard_Directory_Layout	N/A
612	GET	http://192.168.105.110:8000/docs/comments.html#comments_section	N/A
613	GET	http://192.168.105.110:8000/docs/app-dev/deployment.html#Shared_Library_Files	N/A
614	GET	http://192.168.105.110:8000/docs/app-dev/deployment.html#Web_Application_Deployment_Descriptor	N/A

INDEX	METHOD	URL	PARAMETERS
615	GET	http://192.168.105.110:8000/docs/appdev/deployment.html#Tomcat_Context_Descriptor	N/A
616	GET	http://192.168.105.110:8090/dosearchsite.action	N/A
617	GET	http://192.168.105.110:8000/docs/appdev/deployment.html#Deployment_With_Tomcat	N/A
618	GET	http://192.168.105.110:8090/rest/shortcuts/latest/shortcuts/7702/dd4eeb434eb0312efd56977063decb67	N/A
619	GET	http://192.168.105.110:8090/rest/shortcuts/latest/shortcuts/7702/	N/A
620	POST	http://192.168.105.110:8090/rest/analytics/1.0/publish/bulk	[{"name":"confluence.viewpage.src.empty","properties":{"userKey":"","timeDelta":-499}]
621	GET	http://192.168.105.110:8090/rest/analytics/1.0/publish/	N/A
622	GET	http://192.168.105.110:8090/rest/quickreload/latest/0?since=1611255621188	since
623	GET	http://192.168.105.110:8090/rest/quickreload/latest/	N/A
624	GET	http://192.168.105.110:8000/docs/index.html#comments_section	N/A
625	GET	http://192.168.105.110:8090/rest/analytics/1.0/publish/bulk	N/A

INDEX	METHOD	URL	PARAMETERS
626	GET	http://192.168.105.110:8000/docs/manager-howto.html#comments_section	N/A
627	GET	http://192.168.105.110:8000/docs/manager-howto.html#Introduction	N/A
628	GET	http://192.168.105.110:8000/docs/manager-howto.html#Configuring_Manager_Application_Access	N/A
629	GET	http://192.168.105.110:8000/docs/manager-howto.html#HTML_User-friendly_Interface	N/A
630	GET	http://192.168.105.110:8000/docs/manager-howto.html#Supported_Manager_Commands	N/A
631	GET	http://192.168.105.110:8000/docs/manager-howto.html#Common_Parameters	N/A
632	GET	http://192.168.105.110:8000/docs/manager-howto.html#Deploy_A_New_Application_Archive_(WAR)_Remotely	N/A
633	GET	http://192.168.105.110:8000/docs/manager-howto.html#Deploy_A_New_Application_from_a_Local_Path	N/A



INDEX	METHOD	URL	PARAMETERS
634	GET	http://192.168.105.110:8000/docs/manager-howto.html#Deploy_a_previously_deployed_webapp	N/A
635	GET	http://192.168.105.110:8090/spaces/listentitylinks.action	N/A
636	GET	http://192.168.105.110:8090/spaces/	N/A
637	GET	http://192.168.105.110:8000/docs/manager-howto.html#Deploy_a_Directory_or_WAR_by_URL	N/A
638	POST	http://192.168.105.110:8090/rest/analytics/1.0/publish/bulk	[{"name":"confluence.viewpage.src.empty","properties":{"userKey":"","timeDelta":-500}]
639	GET	http://192.168.105.110:8000/docs/manager-howto.html#Deploy_a_Directory_or_War_from_the_Host_appBase	N/A
640	GET	http://192.168.105.110:8000/docs/manager-howto.html#Deployment_Notes	N/A
641	GET	http://192.168.105.110:8000/docs/manager-howto.html#Deploy_using_a_Context_configuration_xml_file	N/A
642	GET	http://192.168.105.110:8000/docs/manager-howto.html#Deploy_Response	N/A

INDEX	METHOD	URL	PARAMETERS
643	GET	http://192.168.105.110:8000/docs/manager-howto.html#List_Currently_Deployed_Applications	N/A
644	GET	http://192.168.105.110:8000/docs/manager-howto.html#Reload_An_Existing_Application	N/A
645	GET	http://192.168.105.110:8000/docs/manager-howto.html#List_OS_and_JVM_Properties	N/A
646	GET	http://192.168.105.110:8000/docs/manager-howto.html#List_Available_Global_JNDI_Resources	N/A
647	GET	http://192.168.105.110:8000/docs/manager-howto.html#Expire_Sessions	N/A
648	GET	http://192.168.105.110:8090/plugins/inlinetasks/mytasks.action	N/A
649	GET	http://192.168.105.110:8090/plugins/inlinetasks/	N/A
650	GET	http://192.168.105.110:8000/docs/manager-howto.html#Session_Statistics	N/A
651	POST	http://192.168.105.110:8090/rest/analytics/1.0/publish/bulk	[{"name": "confluence.viewpage.src.empty", "properties": {"userKey": ""}, "timeDelta": -501}]

INDEX	METHOD	URL	PARAMETERS
652	GET	http://192.168.105.110:8000/docs/manager-howto.html#Start_an_Existing_Application	N/A
653	GET	http://192.168.105.110:8000/docs/manager-howto.html#Stop_an_Existing_Application	N/A
654	GET	http://192.168.105.110:8000/docs/manager-howto.html#Undeploy_an_Existing_Application	N/A
655	GET	http://192.168.105.110:8000/docs/manager-howto.html#Finding_memory_leaks	N/A
656	GET	http://192.168.105.110:8000/docs/manager-howto.html#Connector_SSL/TLS_diagnostics	N/A
657	GET	http://192.168.105.110:8000/docs/manager-howto.html#Thread_Dump	N/A
658	GET	http://192.168.105.110:8000/docs/manager-howto.html#VM_Info	N/A
659	GET	http://192.168.105.110:8000/docs/manager-howto.html#Save_Configuration	N/A
660	GET	http://192.168.105.110:8000/docs/manager-howto.html#Using_the_JMX_Proxy_Servlet	N/A

INDEX	METHOD	URL	PARAMETERS
661	GET	http://192.168.105.110:8090/follower.action	N/A
662	GET	http://192.168.105.110:8000/docs/manager-howto.html#Server_Status	N/A
663	GET	http://192.168.105.110:8000/docs/manager-howto.html#What_is_JMX_Proxy_Servlet	N/A
664	GET	http://192.168.105.110:8000/docs/appdev/source.html#comments_section	N/A
665	GET	http://192.168.105.110:8000/docs/appdev/source.html#Directory_Structure	N/A
666	GET	http://192.168.105.110:8000/docs/appdev/source.html#External_Dependencies	N/A
667	GET	http://192.168.105.110:8000/docs/manager-howto.html#JMX_Query_command	N/A
668	GET	http://192.168.105.110:8000/examples/websocket/drawboard.xhtml#!	N/A
669	GET	http://192.168.105.110:8000/docs/appdev/source.html#Source_Code_Control	N/A
670	GET	http://192.168.105.110:8000/docs/appdev/source.html#BUILD.XML_Configuration_File	N/A

INDEX	METHOD	URL	PARAMETERS
671	GET	http://192.168.105.110:8000/docs/manager-howto.html#JMX_Get_command	N/A
672	GET	http://192.168.105.110:8000/docs/appdev/processes.html#comments_section	N/A
673	GET	http://192.168.105.110:8000/docs/appdev/processes.html#Development_Processes	N/A
674	GET	http://192.168.105.110:8000/docs/manager-howto.html#JMX_Set_command	N/A
675	GET	http://192.168.105.110:8000/docs/manager-howto.html#JMX_Invoke_command	N/A
676	GET	http://192.168.105.110:8090/unfollowuser.action	N/A
677	GET	http://192.168.105.110:8000/docs/appdev/processes.html#One-Time_Setup_of_Ant_and_Tomcat_for_Development	N/A
678	GET	http://192.168.105.110:8000/docs/appdev/processes.html#Create_Project_Source_Code_Directory	N/A
679	POST	http://192.168.105.110:8090/rest/analytics/1.0/publish/bulk	[{"name": "confluence.viewpage.src.empty", "properties": {"userKey": ""}, "timeDelta": -497}]

INDEX	METHOD	URL	PARAMETERS
680	GET	http://192.168.105.110:8000/docs/manager-howto.html#Executing_Manager_Commands_With_Ant	N/A
681	GET	http://192.168.105.110:8000/docs/manager-howto.html#Tasks_output_capture	N/A
682	GET	http://192.168.105.110:8000/examples/servlets/servlet/SessionExample;jsessionid=C814B4DB9850DCA9EFB8125E097B8947?dataname=Tonga&datavalue=Plastic+Ergonomic+Executive	dataname, datavalue
683	GET	http://192.168.105.110:8000/examples/servlets/servlet/SessionExample;jsessionid=C814B4DB9850DCA9EFB8125E097B8947	SessionExample;jsessionid
684	GET	http://192.168.105.110:8000/docs/appdev/processes.html#Edit_Source_Code_and_Pages	N/A
685	GET	http://192.168.105.110:8000/docs/appdev/processes.html#Build_the_Web_Application	N/A
686	GET	http://192.168.105.110:8000/docs/appdev/processes.html#Test_Your_Web_Application	N/A
687	POST	http://192.168.105.110:8000/examples/servlets/nonblocking/bytecounter	data

INDEX	METHOD	URL	PARAMETERS
688	GET	http://192.168.105.110:8000/docs/appdev/processes.html#Creating_a_Release	N/A
689	GET	http://192.168.105.110:8000/docs/config/cluster-deployer.html#comments_section	N/A
690	GET	http://192.168.105.110:8000/docs/config/cluster-deployer.html#Introduction	N/A
691	GET	http://192.168.105.110:8000/docs/config/cluster-deployer.html#org.apache.catalina.ha.deploy.FarmWarDeployer	N/A
692	GET	http://192.168.105.110:8000/docs/config/cluster-deployer.html#Attributes	N/A
693	GET	http://192.168.105.110:8000/docs/config/cluster-listener.html#comments_section	N/A
694	GET	http://192.168.105.110:8000/docs/config/cluster-listener.html#Introduction	N/A
695	GET	http://192.168.105.110:8090/json/listwatchers.action	N/A
696	GET	http://192.168.105.110:8090/json/	N/A
697	GET	http://192.168.105.110:8000/docs/config/cluster-listener.html#org.apache.catalina.ha.session.ClusterSessionListener	N/A

INDEX	METHOD	URL	PARAMETERS
698	GET	http://192.168.105.110:8000/docs/config/cluster-listener.html#Attributes	N/A
699	GET	http://192.168.105.110:8000/docs/config/cluster-listener.html#Common_Attributes	N/A
700	GET	http://192.168.105.110:8000/docs/config/service.html#comments_section	N/A
701	GET	http://192.168.105.110:8000/docs/config/service.html#Introduction	N/A
702	GET	http://192.168.105.110:8000/docs/config/service.html#Attributes	N/A
703	GET	http://192.168.105.110:8000/docs/config/service.html#Common_Attributes	N/A
704	GET	http://192.168.105.110:8000/docs/config/service.html#Standard_Implementation	N/A
705	GET	http://192.168.105.110:8000/docs/config/service.html#Nested_Components	N/A
706	GET	http://192.168.105.110:8000/docs/config/service.html#Special_Features	N/A
707	GET	http://192.168.105.110:8000/docs/globalresources.html#comments_section	N/A



INDEX	METHOD	URL	PARAMETERS
708	GET	http://192.168.105.110:8000/docs/config/globalresources.html#Introduction	N/A
709	GET	http://192.168.105.110:8000/docs/config/globalresources.html#Attributes	N/A
710	GET	http://192.168.105.110:8000/docs/config/globalresources.html#Nested_Components	N/A
711	GET	http://192.168.105.110:8090/json/removewatch.action	N/A
712	GET	http://192.168.105.110:8000/docs/config/globalresources.html#Special_Features	N/A
713	POST	http://192.168.105.110:8090/rest/analytics/1.0/publish/bulk	[{"name":"confluence.viewpage.src.empty","properties":{"userKey":""},"timeDelta":-489}]
714	GET	http://192.168.105.110:8000/docs/config/globalresources.html#Environment_Entries	N/A
715	GET	http://192.168.105.110:8000/docs/config/globalresources.html#Resource_Definitions	N/A
716	GET	http://192.168.105.110:8000/docs/config/globalresources.html#Resource_Links	N/A
717	GET	http://192.168.105.110:8000/docs/config/globalresources.html#Transaction	N/A

INDEX	METHOD	URL	PARAMETERS
718	GET	http://192.168.105.110:8000/docs/config/context.html#Resource_Links	N/A
719	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html#Generic_JavaBean_Resources	N/A
720	GET	http://192.168.105.110:8000/docs/tribes/developers.html#comments_section	N/A
721	GET	http://192.168.105.110:8000/docs/tribes/status.html#comments_section	N/A
722	GET	http://192.168.105.110:8000/docs/config/jaspic.html#comments_section	N/A
723	GET	http://192.168.105.110:8000/docs/config/jaspic.html#Introduction	N/A
724	GET	http://192.168.105.110:8000/docs/config/jaspic.html#Static_configuration	N/A
725	GET	http://192.168.105.110:8090/json/addwatch.action	N/A
726	GET	http://192.168.105.110:8000/docs/config/jaspic.html#AuthConfigProvider	N/A
727	GET	http://192.168.105.110:8000/docs/config/jaspic.html#ServerAuthModule	N/A
728	GET	http://192.168.105.110:8000/docs/config/jaspic.html#Dynamic_configuration	N/A

INDEX	METHOD	URL	PARAMETERS
729	GET	http://192.168.105.110:8000/docs/config/jaspic.html#3rd_party_modules	N/A
730	GET	http://192.168.105.110:8000/docs/config/jaspic.html#Philip_Green_II's_module_for_Google_OAuth_2	N/A
731	GET	http://192.168.105.110:8000/docs/config/systemprops.html#comments_section	N/A
732	GET	http://192.168.105.110:8000/docs/config/systemprops.html#Introduction	N/A
733	GET	http://192.168.105.110:8000/docs/config/systemprops.html#Property_replacements	N/A
734	GET	http://192.168.105.110:8000/docs/config/systemprops.html#Clustering	N/A
735	GET	http://192.168.105.110:8000/docs/config/systemprops.html#Expression_Language	N/A
736	GET	http://192.168.105.110:8000/docs/config/systemprops.html#Jasper	N/A
737	GET	http://192.168.105.110:8000/docs/config/systemprops.html#Security	N/A
738	GET	http://192.168.105.110:8000/docs/config/systemprops.html#Specifications	N/A

INDEX	METHOD	URL	PARAMETERS
739	GET	http://192.168.105.110:8000/docs/config/systemprops.html#Sessions	N/A
740	GET	http://192.168.105.110:8000/docs/config/systemprops.html#Logging	N/A
741	GET	http://192.168.105.110:8090/labels/autocompletelabel.action	N/A
742	GET	http://192.168.105.110:8090/labels/	N/A
743	GET	http://192.168.105.110:8000/docs/config/systemprops.html#JAR_Scanning	N/A
744	GET	http://192.168.105.110:8000/docs/tribes/interceptors.html#comments_section	N/A
745	GET	http://192.168.105.110:8000/docs/tribes/transport.html#comments_section	N/A
746	GET	http://192.168.105.110:8000/docs/config/systemprops.html#Websockets	N/A
747	GET	http://192.168.105.110:8000/docs/config/systemprops.html#Other	N/A
748	GET	http://192.168.105.110:8000/docs/config/index.html#comments_section	N/A
749	GET	http://192.168.105.110:8000/docs/config/executor.html#comments_section	N/A
750	GET	http://192.168.105.110:8000/docs/config/executor.html#Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
751	GET	http://192.168.105.110:8000/docs/config/executor.html#Attributes	N/A
752	GET	http://192.168.105.110:8000/docs/config/executor.html#Common_Attributes	N/A
753	GET	http://192.168.105.110:8000/docs/config/executor.html#Standard_Implementation	N/A
754	GET	http://192.168.105.110:8000/docs/config/server.html#comments_section	N/A
755	GET	http://192.168.105.110:8000/docs/config/server.html#Introduction	N/A
756	GET	http://192.168.105.110:8000/docs/config/server.html#Attributes	N/A
757	GET	http://192.168.105.110:8090/pages/breadcrumbs.action	N/A
758	GET	http://192.168.105.110:8090/pages/	N/A
759	GET	http://192.168.105.110:8090/pages/createpage.action	N/A
760	GET	http://192.168.105.110:8090/spaces/createspace-start.action	N/A

INDEX	METHOD	URL	PARAMETERS
761	POST	http://192.168.105.110:8090/rest/analytics/1.0/publish/bulk	[{"name":"browser.metrics.requestStart","properties":{"version":5,"page":"LOGIN","value":13,"rawValue":1227},"timeDelta":-9830}, {"name":"browser.metrics.responseStart","properties":{"version":5,"page":"LOGIN","value":21,"rawValue":2007},"timeDelta":-9830}, {"name":"browser.metrics.responseEnd","properties":{"version":5,"page":"LOGIN","value":21,"rawValue":2007},"timeDelta":-9830}, {"name":"browser.metrics.domContentLoadedEventStart","properties":{"version":5,"page":"LOGIN","value":30,"rawValue":2976},"timeDelta":-9829}, {"name":"browser.metrics.domContentLoadedEventEnd","properties":{"version":5,"page":"LOGIN","value":31,"rawValue":3066},"timeDelta":-9829}, {"name":"browser.metrics.loadEventEnd","properties":{"version":5,"page":"LOGIN","value":31,"rawValue":3074},"timeDelta":-9829}]
762	GET	http://192.168.105.110:8090/ajax/spaceavailable.action	N/A
763	GET	http://192.168.105.110:8090/ajax/	N/A
764	GET	http://192.168.105.110:8000/docs/config/server.html#Common_Attributes	N/A
765	GET	http://192.168.105.110:8000/docs/config/server.html#Standard_Implementation	N/A
766	GET	http://192.168.105.110:8000/docs/config/server.html#Nested_Components	N/A
767	GET	http://192.168.105.110:8000/docs/config/server.html#Special_Features	N/A
768	GET	http://192.168.105.110:8090/users/viewmyeditorsettings.action	N/A

INDEX	METHOD	URL	PARAMETERS
769	POST	http://192.168.105.110:8090/rest/analytics/1.0/publish/bulk	[{"name":"browser.metrics.requestStart","properties":{"version":5,"page":"LOGIN","value":1,"rawValue":35},"timeDelta":-9589}, {"name":"browser.metrics.responseStart","properties":{"version":5,"page":"LOGIN","value":2,"rawValue":176},"timeDelta":-9589}, {"name":"browser.metrics.responseEnd","properties":{"version":5,"page":"LOGIN","value":2,"rawValue":176},"timeDelta":-9588}, {"name":"browser.metrics.domContentLoadedEventStart","properties":{"version":5,"page":"LOGIN","value":9,"rawValue":802},"timeDelta":-9588}, {"name":"browser.metrics.domContentLoadedEventEnd","properties":{"version":5,"page":"LOGIN","value":9,"rawValue":899},"timeDelta":-9588}, {"name":"browser.metrics.loadEventEnd","properties":{"version":5,"page":"LOGIN","value":10,"rawValue":918},"timeDelta":-9588}]
770	GET	http://192.168.105.110:8000/docs/config/http2.html#comments_section	N/A
771	GET	http://192.168.105.110:8000/docs/config/http2.html#Introduction	N/A
772	GET	http://192.168.105.110:8000/docs/config/http2.html#Attributes	N/A
773	GET	http://192.168.105.110:8000/docs/config/http2.html#Standard_Implementation	N/A
774	GET	http://192.168.105.110:8000/docs/config/http2.html#Common_Attributes	N/A
775	GET	http://192.168.105.110:8000/docs/config/http2.html#Nested_Components	N/A
776	GET	http://192.168.105.110:8000/docs/config/http2.html#Special_Features	N/A

INDEX	METHOD	URL	PARAMETERS
777	GET	http://192.168.105.110:8000/docs/config/ajp.html#comments_section	N/A
778	GET	http://192.168.105.110:8000/docs/config/ajp.html#Introduction	N/A
779	GET	http://192.168.105.110:8090/includes/css/colors.less	N/A
780	GET	http://192.168.105.110:8090/administrators.action#title-heading	N/A
781	GET	http://192.168.105.110:8000/docs/config/ajp.html#Attributes	N/A
782	GET	http://192.168.105.110:8090/administrators.action#header-menu-bar	N/A
783	GET	http://192.168.105.110:8000/docs/config/ajp.html#Common_Attributes	N/A
784	GET	http://192.168.105.110:8000/docs/config/ajp.html#Standard_Implementations	N/A
785	GET	http://192.168.105.110:8000/docs/config/ajp.html#Java_TCP_socket_attributes	N/A
786	GET	http://192.168.105.110:8000/docs/config/ajp.html#NIO2_specific_configuration	N/A
787	GET	http://192.168.105.110:8000/docs/config/ajp.html#NIO_specific_configuration	N/A



INDEX	METHOD	URL	PARAMETERS
788	GET	http://192.168.105.110:8000/docs/config/ajp.html#APR/native_specific_configuration	N/A
789	GET	http://192.168.105.110:8000/docs/config/ajp.html#Nested_Components	N/A
790	GET	http://192.168.105.110:8000/docs/config/ajp.html#Special_Features	N/A
791	GET	http://192.168.105.110:8000/docs/config/ajp.html#Proxy_Support	N/A
792	GET	http://192.168.105.110:8000/docs/config/ajp.html#Connector_Comparison	N/A
793	GET	http://192.168.105.110:8090/administrators.action#navigation	N/A
794	GET	http://192.168.105.110:8090/administrators.action#quick-search-query	N/A
795	GET	http://192.168.105.110:8000/docs/config/engine.html#comments_section	N/A
796	GET	http://192.168.105.110:8000/docs/config/engine.html#Introduction	N/A
797	GET	http://192.168.105.110:8000/docs/config/engine.html#Attributes	N/A
798	GET	http://192.168.105.110:8000/docs/config/filter.html#Failed_Request_Filter	N/A

INDEX	METHOD	URL	PARAMETERS
799	GET	http://192.168.105.110:8000/docs/config/valve.html#SSL_Authenticator_Valve	N/A
800	GET	http://192.168.105.110:8000/docs/config/engine.html#Common_Attributes	N/A
801	GET	http://192.168.105.110:8090/administrators.action#breadcrumbs	N/A
802	GET	http://192.168.105.110:8000/docs/config/engine.html#Standard_Implementation	N/A
803	GET	http://192.168.105.110:8090/administrators.action#	N/A
804	GET	http://192.168.105.110:8000/docs/config/engine.html#Nested_Components	N/A
805	GET	http://192.168.105.110:8000/docs/config/engine.html#Special_Features	N/A
806	GET	http://192.168.105.110:8000/docs/config/engine.html#Logging	N/A
807	GET	http://192.168.105.110:8000/docs/config/engine.html#Access_Logs	N/A
808	GET	http://192.168.105.110:8000/docs/config/engine.html#Lifecycle_Listeners	N/A
809	GET	http://192.168.105.110:8000/docs/config/engine.html#Request_Filters	N/A

INDEX	METHOD	URL	PARAMETERS
810	GET	http://192.168.105.110:8000/docs/config/valve.html#Access_Logging	N/A
811	GET	http://192.168.105.110:8090/index.action	N/A
812	GET	http://192.168.105.110:8000/docs/config/http.html#comments_section	N/A
813	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_Host_Filter	N/A
814	GET	http://192.168.105.110:8000/docs/config/http.html#Introduction	N/A
815	GET	http://192.168.105.110:8000/docs/config/http.html#Attributes	N/A
816	GET	http://192.168.105.110:8000/docs/config/http.html#Common_Attributes	N/A
817	GET	http://192.168.105.110:8000/docs/config/http.html#Standard_Implementation	N/A
818	GET	http://192.168.105.110:8000/docs/config/http.html#java_TCP_socket_attributes	N/A
819	GET	http://192.168.105.110:8000/docs/config/http.html#NIO_specific_configuration	N/A
820	GET	http://192.168.105.110:8000/docs/config/http.html#NIO2_specific_configuration	N/A

INDEX	METHOD	URL	PARAMETERS
821	GET	http://192.168.105.110:8000/docs/config/http.html#APR/native_specific_configuration	N/A
822	GET	http://192.168.105.110:8000/docs/config/http.html#Special_Features	N/A
823	GET	http://192.168.105.110:8000/docs/config/http.html#Nested_Components	N/A
824	GET	http://192.168.105.110:8000/docs/config/http.html#HTTP/1.1_and_HTTP/1.0_Support	N/A
825	GET	http://192.168.105.110:8000/docs/config/http.html#HTTP/2_Support	N/A
826	GET	http://192.168.105.110:8090/about/	N/A
827	GET	http://192.168.105.110:8090/admin	N/A
828	GET	http://192.168.105.110:8090/admin/	N/A
829	GET	http://192.168.105.110:8090/admin/.htaccess	N/A
830	GET	http://192.168.105.110:8090/admin/_logs/access_log	N/A
831	GET	http://192.168.105.110:8090/admin/_logs/	N/A
832	GET	http://192.168.105.110:8090/admin/_logs/access-log	N/A
833	GET	http://192.168.105.110:8090/admin/_logs/access.log	N/A

INDEX	METHOD	URL	PARAMETERS
834	GET	http://192.168.105.110:8000/docs/config/http.html#Proxy_Support	N/A
835	GET	http://192.168.105.110:8090/admin/logs/error.log	N/A
836	GET	http://192.168.105.110:8000/docs/config/http.html#SSL_Support	N/A
837	GET	http://192.168.105.110:8090/admin/logs/error_log	N/A
838	GET	http://192.168.105.110:8090/admin/access_log	N/A
839	GET	http://192.168.105.110:8090/admin/account	N/A
840	GET	http://192.168.105.110:8090/admin/config	N/A
841	GET	http://192.168.105.110:8000/docs/config/http.html#SSL_Support_-_SSLHostConfig	N/A
842	GET	http://192.168.105.110:8090/admin/logs/err.log	N/A
843	GET	http://192.168.105.110:8000/docs/config/http.html#SSL_Support_-_Certificate	N/A
844	GET	http://192.168.105.110:8090/admin/account.html	N/A
845	GET	http://192.168.105.110:8000/docs/config/http.html#SSL_Support_-_Connector_-_NIO_and_NIO2	N/A

INDEX	METHOD	URL	PARAMETERS
846	GET	http://192.168.105.110:8000/docs/config/http.html#SSL_Support_-_Connector_-_NIO_and_NIO2_(deprecated)	N/A
847	GET	http://192.168.105.110:8090/admin/admin-login.%2A	N/A
848	GET	http://192.168.105.110:8000/docs/config/http.html#SSL_Support_-_Connector_-_APR/Native_(deprecated)	N/A
849	GET	http://192.168.105.110:8090/admin/admin-login	N/A
850	GET	http://192.168.105.110:8000/docs/config/http.html#Connector_Comparison	N/A
851	GET	http://192.168.105.110:8000/docs/config/host.html#comments_section	N/A
852	GET	http://192.168.105.110:8090/admin/logs/error-log	N/A
853	GET	http://192.168.105.110:8000/docs/config/host.html#Introduction	N/A
854	GET	http://192.168.105.110:8000/docs/config/host.html#Attributes	N/A
855	GET	http://192.168.105.110:8090/admin/admin-login.html	N/A
856	GET	http://192.168.105.110:8000/docs/config/host.html#Common_Attributes	N/A

INDEX	METHOD	URL	PARAMETERS
857	GET	http://192.168.105.110:8090/admin/account.php	N/A
858	GET	http://192.168.105.110:8000/docs/config/host.html#Standard_Implementation	N/A
859	GET	http://192.168.105.110:8000/docs/config/host.html#Nested_Components	N/A
860	GET	http://192.168.105.110:8090/admin/access.log	N/A
861	GET	http://192.168.105.110:8000/docs/config/host.html#Special_Features	N/A
862	GET	http://192.168.105.110:8090/admin/account.%2A	N/A
863	GET	http://192.168.105.110:8000/docs/config/host.html#Logging	N/A
864	GET	http://192.168.105.110:8000/docs/config/host.html#Access_Logs	N/A
865	GET	http://192.168.105.110:8090/admin/admin-login.php	N/A
866	GET	http://192.168.105.110:8000/docs/config/host.html#Automatic_Application_Deployment	N/A
867	GET	http://192.168.105.110:8090/admin/admin.%2A	N/A
868	GET	http://192.168.105.110:8000/docs/config/host.html#Host_Name_Aliases	N/A

INDEX	METHOD	URL	PARAMETERS
869	GET	http://192.168.105.110:8000/docs/config/host.html#Lifecycle_Listeners	N/A
870	GET	http://192.168.105.110:8090/admin/admin	N/A
871	GET	http://192.168.105.110:8000/docs/config/host.html#Request_Filters	N/A
872	GET	http://192.168.105.110:8090/admin/admin.html	N/A
873	GET	http://192.168.105.110:8000/docs/config/host.html#User_Web_Applications	N/A
874	GET	http://192.168.105.110:8000/docs/config/cookie-processor.html#comments_section	N/A
875	GET	http://192.168.105.110:8090/admin/admin/login	N/A
876	GET	http://192.168.105.110:8090/admin/admin/	N/A
877	GET	http://192.168.105.110:8000/docs/config/context.html#Naming	N/A
878	GET	http://192.168.105.110:8000/docs/config/context.html#Nested_Components	N/A
879	GET	http://192.168.105.110:8090/admin/admin_login	N/A
880	GET	http://192.168.105.110:8000/docs/config/cookie-processor.html#Introduction	N/A



INDEX	METHOD	URL	PARAMETERS
881	GET	http://192.168.105.110:8000/docs/config/cookie-processor.html#Attributes	N/A
882	GET	http://192.168.105.110:8000/docs/config/cookie-processor.html#Common_Attributes	N/A
883	GET	http://192.168.105.110:8090/admin/admin_login.%2A	N/A
884	GET	http://192.168.105.110:8000/docs/config/cookie-processor.html#Standard_Implementation	N/A
885	GET	http://192.168.105.110:8000/docs/config/cookie-processor.html#Legacy_Cookie_Processor_-_org.apache.tomcat.util.http.LegacyCookieProcessor	N/A
886	GET	http://192.168.105.110:8090/admin/admin_login.html	N/A
887	GET	http://192.168.105.110:8000/docs/config/cookie-processor.html#Nested_Components	N/A
888	GET	http://192.168.105.110:8000/docs/config/cookie-processor.html#Special_Features	N/A
889	GET	http://192.168.105.110:8090/admin/admin_login.php	N/A
890	GET	http://192.168.105.110:8000/docs/config/cluster.html#Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
891	GET	http://192.168.105.110:8000/docs/config/cluster.html#comments_section	N/A
892	GET	http://192.168.105.110:8000/docs/config/cluster.html#Security	N/A
893	GET	http://192.168.105.110:8090/admin/adminLogin	N/A
894	GET	http://192.168.105.110:8000/docs/config/cluster.html#Engine_vs_Host_placement	N/A
895	GET	http://192.168.105.110:8000/docs/config/cluster.html#Context_Attribute_Replication	N/A
896	GET	http://192.168.105.110:8090/admin/adminLogin.%2A	N/A
897	GET	http://192.168.105.110:8000/docs/config/cluster.html#Nested_Components	N/A
898	GET	http://192.168.105.110:8000/docs/config/cluster.html#Deprecated_configuration_options	N/A
899	GET	http://192.168.105.110:8000/docs/config/cluster.html#Attributes	N/A
900	GET	http://192.168.105.110:8090/admin/adminLogin.htm	N/A
901	GET	http://192.168.105.110:8000/docs/config/jar-scanner.html#comments_section	N/A

INDEX	METHOD	URL	PARAMETERS
902	GET	http://192.168.105.110:8000/docs/config/jar-scanner.html#Introduction	N/A
903	GET	http://192.168.105.110:8090/admin/admin.php	N/A
904	GET	http://192.168.105.110:8000/docs/config/cluster.html#SimpleTcpCluster_Attributes	N/A
905	GET	http://192.168.105.110:8000/docs/config/jar-scanner.html#Attributes	N/A
906	GET	http://192.168.105.110:8000/docs/config/jar-scanner.html#Common_Attributes	N/A
907	GET	http://192.168.105.110:8090/admin/adminLogin.php	N/A
908	GET	http://192.168.105.110:8000/docs/config/jar-scanner.html#Standard_Implementation	N/A
909	GET	http://192.168.105.110:8000/docs/config/jar-scanner.html#Nested_Components	N/A
910	GET	http://192.168.105.110:8000/docs/config/jar-scanner.html#Special_Features	N/A
911	GET	http://192.168.105.110:8090/admin/adminLogin.html	N/A

INDEX	METHOD	URL	PARAMETERS
912	GET	http://192.168.105.110:8000/docs/config/credentialhandler.html#comments_section	N/A
913	GET	http://192.168.105.110:8000/docs/config/credentialhandler.html#Introduction	N/A
914	GET	http://192.168.105.110:8090/admin/config.php	N/A
915	GET	http://192.168.105.110:8000/docs/config/credentialhandler.html#Attributes	N/A
916	GET	http://192.168.105.110:8090/admin/controlpanel	N/A
917	GET	http://192.168.105.110:8000/docs/config/credentialhandler.html#Common_Attributes	N/A
918	GET	http://192.168.105.110:8000/docs/config/credentialhandler.html#MessageDigestCredentialHandler	N/A
919	GET	http://192.168.105.110:8000/docs/config/credentialhandler.html#NestedCredentialHandler	N/A
920	GET	http://192.168.105.110:8090/admin/controlpanel.html	N/A
921	GET	http://192.168.105.110:8000/docs/config/credentialhandler.html#SecretKeyCredentialHandler	N/A

INDEX	METHOD	URL	PARAMETERS
922	GET	http://192.168.105.110:8000/docs/config/credentialhandler.html#Nested_Components	N/A
923	GET	http://192.168.105.110:8090/admin/controlpanel.%2A	N/A
924	GET	http://192.168.105.110:8000/docs/config/jar-scan-filter.html#comments_section	N/A
925	GET	http://192.168.105.110:8000/docs/config/jar-scan-filter.html#Introduction	N/A
926	GET	http://192.168.105.110:8000/docs/config/credentialhandler.html#Special_Features	N/A
927	GET	http://192.168.105.110:8000/docs/config/jar-scan-filter.html#Attributes	N/A
928	GET	http://192.168.105.110:8000/docs/config/jar-scan-filter.html#Common_Attributes	N/A
929	GET	http://192.168.105.110:8000/docs/config/jar-scan-filter.html#Standard_Implementation	N/A
930	GET	http://192.168.105.110:8000/docs/config/jar-scan-filter.html#Nested_Components	N/A
931	GET	http://192.168.105.110:8000/docs/config/jar-scan-filter.html#Special_Features	N/A

INDEX	METHOD	URL	PARAMETERS
932	GET	http://192.168.105.110:8000/docs/config/filter.html#comments_section	N/A
933	GET	http://192.168.105.110:8000/docs/config/filter.html#Add_Default_Character_Set_Filter	N/A
934	GET	http://192.168.105.110:8000/docs/config/filter.html#Introduction	N/A
935	GET	http://192.168.105.110:8000/docs/config/filter.html#Add_Default_Character_Set_Filter/Introduction	N/A
936	GET	http://192.168.105.110:8000/docs/config/filter.html#Add_Default_Character_Set_Filter/Filter_Class_Name	N/A
937	GET	http://192.168.105.110:8000/docs/config/filter.html#Add_Default_Character_Set_Filter/Initialisation_parameters	N/A
938	GET	http://192.168.105.110:8000/docs/config/filter.html#CORS_Filter	N/A
939	GET	http://192.168.105.110:8000/docs/config/filter.html#CORS_Filter/Introduction	N/A
940	GET	http://192.168.105.110:8000/docs/config/filter.html#CORS_Filter/Filter_Class_Name	N/A

INDEX	METHOD	URL	PARAMETERS
941	GET	http://192.168.105.110:8000/docs/config/filter.html#CORSS_Filter/Initialisation_parameters	N/A
942	GET	http://192.168.105.110:8000/docs/config/filter.html#CORSS_Filter_and_HttpServletRequest_attributes	N/A
943	GET	http://192.168.105.110:8000/docs/config/filter.html#CSRF_Prevention_Filter	N/A
944	GET	http://192.168.105.110:8000/docs/config/filter.html#CSRF_Prevention_Filter/Introduction	N/A
945	GET	http://192.168.105.110:8000/docs/config/filter.html#CSRF_Prevention_Filter/Filter_Class_Name	N/A
946	GET	http://192.168.105.110:8000/docs/config/filter.html#CSRF_Prevention_Filter_for_REST_APIs	N/A
947	GET	http://192.168.105.110:8000/docs/config/filter.html#CSRF_Prevention_Filter/Initialisation_parameters	N/A
948	GET	http://192.168.105.110:8000/docs/config/filter.html#CSRF_Prevention_Filter_for_REST_APIs/Introduction	N/A
949	GET	http://192.168.105.110:8000/docs/config/filter.html#CSRF_Prevention_Filter_for_REST_APIs/Basic_configuration_sample	N/A

INDEX	METHOD	URL	PARAMETERS
950	GET	http://192.168.105.110:8000/docs/config/filter.html#RestCsrPreventionFilter_and_HttpServletRequest_parameters	N/A
951	GET	http://192.168.105.110:8000/docs/config/filter.html#CSRF_Prevention_Filter_for_REST_APIs/Filter_Class_Name	N/A
952	GET	http://192.168.105.110:8000/docs/config/filter.html#CSRF_Prevention_Filter_for_REST_APIs/Initialisation_parameters	N/A
953	GET	http://192.168.105.110:8000/docs/config/filter.html#Expires_Filter	N/A
954	GET	http://192.168.105.110:8000/docs/config/filter.html#Expires_Filter/Introduction	N/A
955	GET	http://192.168.105.110:8000/docs/config/filter.html#Expires_Filter/Basic_configuration_sample	N/A
956	GET	http://192.168.105.110:8090/admin/controlpanel.htm	N/A
957	GET	http://192.168.105.110:8000/docs/config/filter.html#Alternate_Syntax	N/A
958	GET	http://192.168.105.110:8000/docs/config/filter.html#Expiration_headers_generation_eligibility	N/A



INDEX	METHOD	URL	PARAMETERS
959	GET	http://192.168.105.110:8090/admin/controlpanel.php	N/A
960	GET	http://192.168.105.110:8000/docs/config/filter.html#Expiration_configuration_selection	N/A
961	GET	http://192.168.105.110:8000/docs/config/filter.html#Expires_Filter/Filter_Class_Name	N/A
962	GET	http://192.168.105.110:8090/admin/cp	N/A
963	GET	http://192.168.105.110:8000/docs/config/filter.html#Expires_Filter/Initialisation_parameters	N/A
964	GET	http://192.168.105.110:8000/docs/config/filter.html#Failed_Request_Filter/Introduction	N/A
965	GET	http://192.168.105.110:8090/admin/cp.%2A	N/A
966	GET	http://192.168.105.110:8000/docs/config/filter.html#Troubleshooting	N/A
967	GET	http://192.168.105.110:8090/admin/cp.php	N/A
968	GET	http://192.168.105.110:8000/docs/config/filter.html#Failed_Request_Filter/Filter_Class_Name	N/A
969	GET	http://192.168.105.110:8000/docs/config/filter.html#Failed_Request_Filter/Initialisation_parameters	N/A

INDEX	METHOD	URL	PARAMETERS
970	GET	http://192.168.105.110:8090/admin/cp.html	N/A
971	GET	http://192.168.105.110:8000/docs/config/filter.html#HTTP_Header_Security_Filter	N/A
972	GET	http://192.168.105.110:8090/admin/default	N/A
973	GET	http://192.168.105.110:8000/docs/config/filter.html#HTTP_Header_Security_Filter/Introduction	N/A
974	GET	http://192.168.105.110:8000/docs/config/filter.html#HTTP_Header_Security_Filter/Filter_Class_Name	N/A
975	GET	http://192.168.105.110:8090/admin/default.asp	N/A
976	GET	http://192.168.105.110:8000/docs/config/filter.html#HTTP_Header_Security_Filter/Initialisation_parameters	N/A
977	GET	http://192.168.105.110:8000/docs/config/filter.html#Remote_Address_Filter	N/A
978	GET	http://192.168.105.110:8090/admin/default/admin.asp	N/A
979	GET	http://192.168.105.110:8090/admin/default/	N/A
980	GET	http://192.168.105.110:8000/docs/config/filter.html#Remote_Address_Filter/Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
981	GET	http://192.168.105.110:8090/admin/download.php	N/A
982	GET	http://192.168.105.110:8000/docs/config/filter.html#Remote_Address_Filter/Filter_Class_Name	N/A
983	GET	http://192.168.105.110:8000/docs/config/filter.html#Remote_Address_Filter/Initialisation_parameters	N/A
984	GET	http://192.168.105.110:8090/admin/error_log	N/A
985	GET	http://192.168.105.110:8000/docs/config/filter.html#Example	N/A
986	GET	http://192.168.105.110:8000/docs/config/filter.html#Remote_Host_Filter	N/A
987	GET	http://192.168.105.110:8090/admin/default/login.asp	N/A
988	GET	http://192.168.105.110:8000/docs/config/filter.html#Remote_Host_Filter/Introduction	N/A
989	GET	http://192.168.105.110:8000/docs/config/filter.html#Remote_Host_Filter/Filter_Class_Name	N/A
990	GET	http://192.168.105.110:8090/search/searchv3.action	N/A
991	GET	http://192.168.105.110:8090/search/	N/A

INDEX	METHOD	URL	PARAMETERS
992	GET	http://192.168.105.110:8000/docs/config/filter.html#Remote_Host_Filter/Initialisation_parameters	N/A
993	GET	http://192.168.105.110:8000/docs/config/filter.html#Remote_IP_Filter	N/A
994	GET	http://192.168.105.110:8000/docs/config/filter.html#Remote_IP_Filter/Introduction	N/A
995	GET	http://192.168.105.110:8000/docs/config/filter.html#Remote_IP_Filter/Filter_Class_Name	N/A
996	GET	http://192.168.105.110:8000/docs/config/filter.html#Basic_configuration_to_handle_'x-forwarded-for'	N/A
997	GET	http://192.168.105.110:8000/docs/config/filter.html#Basic_configuration_to_handle_'x-forwarded-for'_and_'x-forwarded-proto'	N/A
998	GET	http://192.168.105.110:8000/docs/config/filter.html#Advanced_configuration_with_internal_proxies	N/A
999	GET	http://192.168.105.110:8000/docs/config/filter.html#Advanced_configuration_with_trusted_proxies	N/A

INDEX	METHOD	URL	PARAMETERS
1000	GET	http://192.168.105.110:8000/docs/config/filter.html#Advanced_configuration_with_internal_and_trusted_proxies	N/A
1001	GET	http://192.168.105.110:8000/docs/config/filter.html#Advanced_configuration_with_an_untrusted_proxy	N/A
1002	GET	http://192.168.105.110:8000/docs/config/filter.html#Remote_IP_Filter/Initialisation_parameters	N/A
1003	GET	http://192.168.105.110:8000/docs/config/filter.html#Request_Dumper_Filter	N/A
1004	GET	http://192.168.105.110:8000/docs/config/filter.html#Request_Dumper_Filter/Introduction	N/A
1005	GET	http://192.168.105.110:8000/docs/config/filter.html#Request_Dumper_Filter/Initialisation_parameters	N/A
1006	GET	http://192.168.105.110:8090/dashboard.action	N/A
1007	GET	http://192.168.105.110:8000/docs/config/filter.html#Sample_Configuration	N/A
1008	GET	http://192.168.105.110:8000/docs/config/filter.html#Request_Dumper_Filter/Filter_Class_Name	N/A

INDEX	METHOD	URL	PARAMETERS
1009	GET	http://192.168.105.110:8000/docs/config/filter.html#Set_Character_Encoding_Filter	N/A
1010	GET	http://192.168.105.110:8000/docs/config/filter.html#Set_Character_Encoding_Filter/Introduction	N/A
1011	GET	http://192.168.105.110:8000/docs/config/filter.html#Set_Character_Encoding_Filter/Filter_Class_Name	N/A
1012	GET	http://192.168.105.110:8000/docs/config/filter.html#Set_Character_Encoding_Filter/Initialisation_parameters	N/A
1013	GET	http://192.168.105.110:8000/docs/config/context.html#comments_section	N/A
1014	GET	http://192.168.105.110:8000/docs/config/context.html#Introduction	N/A
1015	GET	http://192.168.105.110:8000/docs/config/context.html#Parallel_deployment	N/A
1016	GET	http://192.168.105.110:8000/docs/config/context.html#Defining_a_context	N/A
1017	GET	http://192.168.105.110:8000/docs/config/context.html#Attributes	N/A
1018	GET	http://192.168.105.110:8000/docs/config/filter.html#Web_DAV_Fix_Filter/Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
1019	GET	http://192.168.105.110:8000/docs/config/filter.html#WebDAV_Fix_Filter/Filter_Class_Name	N/A
1020	GET	http://192.168.105.110:8000/docs/config/filter.html#WebDAV_Fix_Filter/Initialisation_parameters	N/A
1021	GET	http://192.168.105.110:8000/docs/config/filter.html#WebDAV_Fix_Filter	N/A
1022	GET	http://192.168.105.110:8090/pages/pageNotFound.action	N/A
1023	GET	http://192.168.105.110:8000/docs/config/context.html#Common_Attributes	N/A
1024	GET	http://192.168.105.110:8000/docs/config/context.html#Standard_Implementation	N/A
1025	GET	http://192.168.105.110:8000/docs/config/context.html#Special_Features	N/A
1026	GET	http://192.168.105.110:8000/docs/config/context.html#Logging	N/A
1027	GET	http://192.168.105.110:8000/docs/config/context.html#Access_Logs	N/A
1028	GET	http://192.168.105.110:8000/docs/config/context.html#Automatic_Context_Configuration	N/A
1029	GET	http://192.168.105.110:8000/docs/config/context.html#Context_Parameters	N/A

INDEX	METHOD	URL	PARAMETERS
1030	GET	http://192.168.105.110:8000/docs/config/context.html#Environment_Entries	N/A
1031	GET	http://192.168.105.110:8000/docs/config/context.html#Lifecycle_Listeners	N/A
1032	GET	http://192.168.105.110:8000/docs/config/listeners.html#comments_section	N/A
1033	GET	http://192.168.105.110:8000/docs/config/context.html#Request_Filters	N/A
1034	GET	http://192.168.105.110:8000/docs/config/context.html#Resource_Definitions	N/A
1035	GET	http://192.168.105.110:8000/docs/config/context.html#Transaction	N/A
1036	GET	http://192.168.105.110:8000/docs/config/listeners.html#Introduction	N/A
1037	GET	http://192.168.105.110:8000/docs/config/listeners.html#Attributes	N/A
1038	GET	http://192.168.105.110:8000/docs/config/listeners.html#Common_Attributes	N/A
1039	GET	http://192.168.105.110:8000/docs/config/listeners.html#Nested_Components	N/A



INDEX	METHOD	URL	PARAMETERS
1040	GET	http://192.168.105.110:8000/docs/config/listeners.html#Standard_Implementations	N/A
1041	GET	http://192.168.105.110:8000/docs/config/listeners.html#APR_Lifecycle_Listener_-_org.apache.catalina.core.AprLifecycleListener	N/A
1042	GET	http://192.168.105.110:8000/docs/config/listeners.html#Global_Resources_Lifecycle_Listener_-_org.apache.catalina.mbeans.GlobalResourcesLifecycleListener	N/A
1043	GET	http://192.168.105.110:8000/docs/config/listeners.html#JRE_Memory_Leak_Prevention_Listener_-_org.apache.catalina.core.JreMemoryLeakPreventionListener	N/A
1044	GET	http://192.168.105.110:8000/docs/config/listeners.html#JreMemoryLeakPreventionListener_Examples	N/A
1045	GET	http://192.168.105.110:8000/docs/config/listeners.html#Security_Lifecycle_Listener_-_org.apache.catalina.security.SecurityListener	N/A

INDEX	METHOD	URL	PARAMETERS
1046	GET	http://192.168.105.110:8000/docs/config/listeners.html#ThreadLocal_Leak_Prevention_Listener_-_org.apache.catalina.core.ThreadLocalLeakPreventionListener	N/A
1047	GET	http://192.168.105.110:8000/docs/config/listeners.html#UserConfig_-_org.apache.catalina.startup.UserConfig	N/A
1048	GET	http://192.168.105.110:8000/docs/config/listeners.html#Version_Logging_Lifecycle_Listener_-_org.apache.catalina.startup.VersionLoggerListener	N/A
1049	GET	http://192.168.105.110:8000/docs/config/listeners.html#Additional_Implementations	N/A
1050	GET	http://192.168.105.110:8000/docs/config/loader.html#comments_section	N/A
1051	GET	http://192.168.105.110:8000/docs/config/loader.html#Introduction	N/A
1052	GET	http://192.168.105.110:8000/docs/config/listeners.html#jMX_Remote_Lifecycle_Listener_-_org.apache.catalina.mbeans.JmxRemoteLifecycleListener	N/A
1053	GET	http://192.168.105.110:8000/docs/config/loader.html#Attributes	N/A

INDEX	METHOD	URL	PARAMETERS
1054	GET	http://192.168.105.110:8000/docs/config/loader.html#Common_Attributes	N/A
1055	GET	http://192.168.105.110:8000/docs/config/loader.html#Standard_Implementation	N/A
1056	GET	http://192.168.105.110:8000/docs/config/loader.html#Nested_Components	N/A
1057	GET	http://192.168.105.110:8000/docs/config/loader.html#Special_Features	N/A
1058	GET	http://192.168.105.110:8000/docs/config/loader.html#Logging	N/A
1059	GET	http://192.168.105.110:8000/docs/config/manager.html#comments_section	N/A
1060	GET	http://192.168.105.110:8000/docs/config/manager.html#Introduction	N/A
1061	GET	http://192.168.105.110:8000/docs/config/manager.html#Attributes	N/A
1062	GET	http://192.168.105.110:8000/docs/config/manager.html#Common_Attributes	N/A
1063	GET	http://192.168.105.110:8000/docs/config/manager.html#Standard_Implementation	N/A
1064	GET	http://192.168.105.110:8000/docs/config/manager.html#Nested_Components	N/A

INDEX	METHOD	URL	PARAMETERS
1065	GET	http://192.168.105.110:8000/docs/config/manager.html#Special_Features	N/A
1066	GET	http://192.168.105.110:8000/docs/config/manager.html#Persistence_Across_Restarts	N/A
1067	GET	http://192.168.105.110:8000/docs/config/manager.html#Disable_Session_Persistence	N/A
1068	GET	http://192.168.105.110:8000/docs/config/sessionidgenerator.html#comments_section	N/A
1069	GET	http://192.168.105.110:8000/docs/config/sessionidgenerator.html#Introduction	N/A
1070	GET	http://192.168.105.110:8000/docs/config/sessionidgenerator.html#Attributes	N/A
1071	GET	http://192.168.105.110:8000/docs/config/sessionidgenerator.html#Common_Attributes	N/A
1072	GET	http://192.168.105.110:8000/docs/config/sessionidgenerator.html#Standard_Implementation	N/A
1073	GET	http://192.168.105.110:8000/docs/config/resources.html#comments_section	N/A
1074	GET	http://192.168.105.110:8000/docs/config/resources.html#Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
1075	GET	http://192.168.105.110:8000/docs/config/resources.html#Attributes	N/A
1076	GET	http://192.168.105.110:8000/docs/config/resources.html#Common_Attributes	N/A
1077	GET	http://192.168.105.110:8000/docs/config/resources.html#Standard_Implementation	N/A
1078	GET	http://192.168.105.110:8000/docs/config/resources.html#Nested_Components	N/A
1079	GET	http://192.168.105.110:8000/docs/config/resources.html#Special_Features	N/A
1080	GET	http://192.168.105.110:8000/docs/config/realm.html#comments_section	N/A
1081	GET	http://192.168.105.110:8000/docs/config/realm.html#Introduction	N/A
1082	GET	http://192.168.105.110:8000/docs/config/realm.html#Attributes	N/A
1083	GET	http://192.168.105.110:8000/docs/config/realm.html#Common_Attributes	N/A
1084	GET	http://192.168.105.110:8000/docs/config/realm.html#JDBC_Database_Realm_-_org.apache.catalina.realm.JDBCRealm	N/A

INDEX	METHOD	URL	PARAMETERS
1085	GET	http://192.168.105.110:8000/docs/config/realn.html#DataSource_Database_Realm_-_org.apache.catalina.realm.DataSourceRealm	N/A
1086	GET	http://192.168.105.110:8000/docs/config/realn.html#JNDI_Directory_Realm_-_org.apache.catalina.realm.JNDIRealm	N/A
1087	GET	http://192.168.105.110:8000/docs/config/realn.html#UserDatabase_Realm_-_org.apache.catalina.realm.UserDatabaseRealm	N/A
1088	GET	http://192.168.105.110:8000/docs/config/realn.html#Memory_Based_Realm_-_org.apache.catalina.realm.MemoryRealm	N/A
1089	GET	http://192.168.105.110:8000/docs/config/realn.html#JAAS_Realm_-_org.apache.catalina.realm.JAASRealm	N/A
1090	GET	http://192.168.105.110:8000/docs/config/realn.html#Combined_Realm_-_org.apache.catalina.realm.CombineRealm	N/A
1091	GET	http://192.168.105.110:8000/docs/config/cluster-manager.html#comments_section	N/A

INDEX	METHOD	URL	PARAMETERS
1092	GET	http://192.168.105.110:8000/docs/config/realm.html#Null_Realm_-_org.apache.catalina.realm.NullRealm	N/A
1093	GET	http://192.168.105.110:8000/docs/config/realm.html#Nested_Components	N/A
1094	GET	http://192.168.105.110:8000/docs/config/realm.html#Special_Features	N/A
1095	GET	http://192.168.105.110:8000/docs/config/cluster-manager.html#Introduction	N/A
1096	GET	http://192.168.105.110:8000/docs/config/cluster-manager.html#The_%3CManager%3E	N/A
1097	GET	http://192.168.105.110:8000/docs/config/cluster-manager.html#Attributes	N/A
1098	GET	http://192.168.105.110:8090/admin/default.jsp	N/A
1099	GET	http://192.168.105.110:8000/docs/config/cluster-manager.html#Common_Attributes	N/A
1100	GET	http://192.168.105.110:8000/docs/config/cluster-manager.html#org.apache.catalina.ha.session.DeltaManager_Attributes	N/A

INDEX	METHOD	URL	PARAMETERS
1101	GET	http://192.168.105.110:8000/docs/config/cluster-manager.html#org.apache.catalina.ha.session.BackupManager_Attributes	N/A
1102	GET	http://192.168.105.110:8000/docs/config/cluster-manager.html#Nested_Components	N/A
1103	GET	http://192.168.105.110:8000/docs/config/cluster-channel.html#comments_section	N/A
1104	GET	http://192.168.105.110:8000/docs/config/cluster-channel.html#Introduction	N/A
1105	GET	http://192.168.105.110:8000/docs/config/cluster-channel.html#Nested_Components	N/A
1106	GET	http://192.168.105.110:8000/docs/config/cluster-channel.html#Attributes	N/A
1107	GET	http://192.168.105.110:8000/docs/config/cluster-channel.html#Common_Attributes	N/A
1108	GET	http://192.168.105.110:8000/docs/config/cluster-sender.html#transport	N/A
1109	GET	http://192.168.105.110:8000/docs/config/cluster-channel.html#org.apache.catalina.tribes.group.GroupChannel_Attributes	N/A



INDEX	METHOD	URL	PARAMETERS
1110	GET	http://192.168.105.110:8000/docs/config/cluster-membership.html#comments_section	N/A
1111	GET	http://192.168.105.110:8000/docs/config/cluster-membership.html#Introduction	N/A
1112	GET	http://192.168.105.110:8000/docs/config/cluster-membership.html#Default_Implementation	N/A
1113	GET	http://192.168.105.110:8000/docs/config/cluster-membership.html#Attributes	N/A
1114	GET	http://192.168.105.110:8000/docs/config/cluster-membership.html#Multicast_Attributes	N/A
1115	GET	http://192.168.105.110:8000/docs/config/cluster-sender.html#comments_section	N/A
1116	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#org.apache.catalina.tribes.group.interceptors.TcpFailureDetector_Attributes	N/A
1117	GET	http://192.168.105.110:8000/docs/config/cluster-sender.html#Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
1118	GET	http://192.168.105.110:8000/docs/config/cluster-sender.html#Concurrent_Parallel_Delivery	N/A
1119	GET	http://192.168.105.110:8090/about/index.action	N/A
1120	GET	http://192.168.105.110:8000/docs/config/cluster-sender.html#Nested_Elements	N/A
1121	GET	http://192.168.105.110:8000/docs/config/cluster-sender.html#Attributes	N/A
1122	GET	http://192.168.105.110:8000/docs/config/cluster-sender.html#Common_Sender_Attributes	N/A
1123	GET	http://192.168.105.110:8000/docs/config/cluster-sender.html#Common_Transport_Attributes	N/A
1124	GET	http://192.168.105.110:8000/docs/config/cluster-sender.html#Common_PooledSender_Attributes	N/A
1125	GET	http://192.168.105.110:8000/docs/config/cluster-receiver.html#comments_section	N/A
1126	GET	http://192.168.105.110:8000/docs/config/cluster-receiver.html#Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
1127	GET	http://192.168.105.110:8000/docs/tribes/membership.html#comments_section	N/A
1128	GET	http://192.168.105.110:8000/docs/config/cluster-receiver.html#Blocking_vs_Non-Blocking_Receiver	N/A
1129	GET	http://192.168.105.110:8000/docs/config/cluster-receiver.html#Attributes	N/A
1130	GET	http://192.168.105.110:8000/docs/tribes/faq.html#comments_section	N/A
1131	GET	http://192.168.105.110:8000/docs/config/cluster-receiver.html#Common_Attributes	N/A
1132	GET	http://192.168.105.110:8000/docs/tribes/setup.html#comments_section	N/A
1133	GET	http://192.168.105.110:8000/docs/config/cluster-receiver.html#Nio Receiver	N/A
1134	GET	http://192.168.105.110:8000/docs/config/cluster-receiver.html#Bio Receiver	N/A
1135	GET	http://192.168.105.110:8000/docs/config/cluster-valve.html#comments_section	N/A
1136	GET	http://192.168.105.110:8000/docs/config/cluster-valve.html#Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
1137	GET	http://192.168.105.110:8000/docs/config/cluster-valve.html#org.apache.catalina.ha.session.JvmRouteBinderValve	N/A
1138	GET	http://192.168.105.110:8000/docs/config/cluster-valve.html#org.apache.catalina.ha.tcp.ReplicationValve/Attributes	N/A
1139	GET	http://192.168.105.110:8000/docs/config/cluster-valve.html#org.apache.catalina.ha.tcp.ReplicationValve	N/A
1140	GET	http://192.168.105.110:8000/docs/config/cluster-valve.html#org.apache.catalina.ha.session.JvmRouteBinderValve/Attributes	N/A
1141	GET	http://192.168.105.110:8000/docs/config/cluster-valve.html#org.apache.catalina.ha.authenticator.ClusterSingleSignOn	N/A
1142	GET	http://192.168.105.110:8090/admin/filekeditor/editor/filemanager/browser/default/connectors/asp/connector.asp	N/A
1143	GET	http://192.168.105.110:8090/admin/filekeditor/editor/filemanager/browser/default/connectors/asp/	N/A

INDEX	METHOD	URL	PARAMETERS
1144	GET	http://192.168.105.110:8000/docs/config/cluster-valve.html#org.apache.catalina.ha.authenticator.ClusterSingleSignOn/Attributes	N/A
1145	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#comments_section	N/A
1146	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#Introduction	N/A
1147	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#Available_Interceptors	N/A
1148	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#Static_Membership	N/A
1149	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#Attributes	N/A
1150	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#Common_Attributes	N/A
1151	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#org.apache.catalina.tribes.group.interceptors.DomainFilterInterceptor_Attributes	N/A

INDEX	METHOD	URL	PARAMETERS
1152	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#org.apache.catalina.tribes.group.interceptors.MessageDispatchInterceptor_Attributes	N/A
1153	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#org.apache.catalina.tribes.group.interceptors.TcpPingInterceptor_Attributes	N/A
1154	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#org.apache.catalina.tribes.group.interceptors.ThroughputInterceptor_Attributes	N/A
1155	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#Nested_Components	N/A
1156	GET	http://192.168.105.110:8000/docs/config/cluster-interceptor.html#StaticMember_Attributes	N/A
1157	GET	http://192.168.105.110:8000/docs/config/valve.html#comments_section	N/A
1158	GET	http://192.168.105.110:8000/docs/config/valve.html#Access_Log_Valve	N/A
1159	GET	http://192.168.105.110:8000/docs/config/valve.html#Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
1160	GET	http://192.168.105.110:8000/docs/config/valve.html#Access_Log_Valve/Introduction	N/A
1161	GET	http://192.168.105.110:8000/docs/config/valve.html#Access_Log_Valve/Attributes	N/A
1162	GET	http://192.168.105.110:8000/docs/config/valve.html#Extended_Access_Log_Valve	N/A
1163	GET	http://192.168.105.110:8000/docs/config/valve.html#Extended_Access_Log_Valve/Introduction	N/A
1164	GET	http://192.168.105.110:8000/docs/config/valve.html#Extended_Access_Log_Valve/Attributes	N/A
1165	GET	http://192.168.105.110:8000/docs/config/valve.html#Access_Control	N/A
1166	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_Address_Valve/Introduction	N/A
1167	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_Address_Valve/Example_port_auth	N/A
1168	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_Address_Valve/Attributes	N/A

INDEX	METHOD	URL	PARAMETERS
1169	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_Address_Valve/Example_localhost	N/A
1170	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_Address_Valve/Example_localhost_port	N/A
1171	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_Host_Valve	N/A
1172	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_Host_Valve/Introduction	N/A
1173	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_Host_Valve/Attributes	N/A
1174	GET	http://192.168.105.110:8000/docs/config/valve.html#Proxies_Support	N/A
1175	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_IP_Valve	N/A
1176	GET	http://192.168.105.110:8090/admin/export.php	N/A
1177	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_IP_Valve/Introduction	N/A
1178	GET	http://192.168.105.110:8090/admin/error.log	N/A



INDEX	METHOD	URL	PARAMETERS
1179	GET	http://192.168.105.110:8000/docs/config/valve.html#Remote_IP_Valve/Attributes	N/A
1180	GET	http://192.168.105.110:8000/docs/config/valve.html#SSL_Valve	N/A
1181	GET	http://192.168.105.110:8000/docs/config/valve.html#SSL_Valve/Introduction	N/A
1182	GET	http://192.168.105.110:8000/docs/config/valve.html#SSL_Valve/Attributes	N/A
1183	GET	http://192.168.105.110:8090/admin/ckeditor/editor/filemanager/browser/default/connectors/aspx/connector.aspx	N/A
1184	GET	http://192.168.105.110:8090/admin/ckeditor/editor/filemanager/browser/default/connectors/aspx/	N/A
1185	GET	http://192.168.105.110:8000/docs/config/valve.html#Single_Sign_On_Valve	N/A
1186	GET	http://192.168.105.110:8000/docs/config/valve.html#Single_Sign_On_Valve/Introduction	N/A
1187	GET	http://192.168.105.110:8090/admin/CKEditor	N/A
1188	GET	http://192.168.105.110:8000/docs/config/valve.html#Single_Sign_On_Valve/Attributes	N/A

INDEX	METHOD	URL	PARAMETERS
1189	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/connectors/asp/connector.asp	N/A
1190	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/connectors/asp/	N/A
1191	GET	http://192.168.105.110:8000/docs/config/valve.html#Authentication	N/A
1192	GET	http://192.168.105.110:8000/docs/config/valve.html#Basic_Authenticator_Valve	N/A
1193	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/connectors/asp/upload.asp	N/A
1194	GET	http://192.168.105.110:8000/docs/config/valve.html#Basic_Authenticator_Valve/Introduction	N/A
1195	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/browser/default/connectors/php/connector.php	N/A
1196	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/browser/default/connectors/php/	N/A
1197	GET	http://192.168.105.110:8000/docs/config/valve.html#Basic_Authenticator_Valve/Attributes	N/A

INDEX	METHOD	URL	PARAMETERS
1198	GET	http://192.168.105.110:8000/docs/config/valve.html#Digest_Authenticator_Valve	N/A
1199	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/connectors/aspx/connector.aspx	N/A
1200	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/connectors/aspx/	N/A
1201	GET	http://192.168.105.110:8000/docs/config/valve.html#Digest_Authenticator_Valve/Introduction	N/A
1202	GET	http://192.168.105.110:8000/docs/config/valve.html#Digest_Authenticator_Valve/Attributes	N/A
1203	GET	http://192.168.105.110:8000/docs/config/valve.html#Form_Authenticator_Valve	N/A
1204	GET	http://192.168.105.110:8000/docs/config/valve.html#Form_Authenticator_Valve/Introduction	N/A
1205	GET	http://192.168.105.110:8000/docs/config/valve.html#Form_Authenticator_Valve/Attributes	N/A
1206	GET	http://192.168.105.110:8000/docs/config/valve.html#SSL_Authenticator_Valve/Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
1207	GET	http://192.168.105.110:8000/docs/config/valve.html#SSL_Authenticator_Valve/Attributes	N/A
1208	GET	http://192.168.105.110:8000/docs/config/valve.html#SPNEGO_Valve	N/A
1209	GET	http://192.168.105.110:8000/docs/config/valve.html#SPNEGO_Valve/Introduction	N/A
1210	GET	http://192.168.105.110:8000/docs/config/valve.html#SPNEGO_Valve/Attributes	N/A
1211	GET	http://192.168.105.110:8000/docs/config/valve.html#Error_Report_Valve	N/A
1212	GET	http://192.168.105.110:8000/docs/config/valve.html#Error_Report_Valve/Introduction	N/A
1213	GET	http://192.168.105.110:8000/docs/config/valve.html#Error_Report_Valve/Attributes	N/A
1214	GET	http://192.168.105.110:8000/docs/config/valve.html#Crawler_Session_Manager_Valve	N/A
1215	GET	http://192.168.105.110:8000/docs/config/valve.html#Crawler_Session_Manager_Valve/Introduction	N/A
1216	GET	http://192.168.105.110:8000/docs/introduction.html#comments_section	N/A

INDEX	METHOD	URL	PARAMETERS
1217	GET	http://192.168.105.110:8000/docs/config/valve.html#Crawler_Session_Manager_Valve/Attributes	N/A
1218	GET	http://192.168.105.110:8000/docs/introduction.html#Introduction	N/A
1219	GET	http://192.168.105.110:8000/docs/introduction.html#Terminology	N/A
1220	GET	http://192.168.105.110:8000/docs/introduction.html#Directories_and_Files	N/A
1221	GET	http://192.168.105.110:8000/docs/introduction.html#Configuring_Tomcat	N/A
1222	GET	http://192.168.105.110:8000/docs/config/valve.html#Stuck_Thread_Detection_Valve	N/A
1223	GET	http://192.168.105.110:8000/docs/config/valve.html#Stuck_Thread_Detection_Valve/Introduction	N/A
1224	GET	http://192.168.105.110:8000/docs/config/valve.html#Semaphore_Valve	N/A
1225	GET	http://192.168.105.110:8000/docs/config/valve.html#Stuck_Thread_Detection_Valve/Attributes	N/A
1226	GET	http://192.168.105.110:8000/docs/config/valve.html#Semaphore_Valve/Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
1227	GET	<a href="http://192.168.105.110:8000/docs/config/valve.html#Semaphore_Valve/Attributes">http://192.168.105.110:8000/docs/config/valve.html#Semaphore_Valve/Attributes</a>	N/A
1228	GET	<a href="http://192.168.105.110:8000/docs/introduction.html#Where_to_Go_for_Help">http://192.168.105.110:8000/docs/introduction.html#Where_to_Go_for_Help</a>	N/A
1229	GET	<a href="http://192.168.105.110:8000/docs/security-manager-howto.html#comments_section">http://192.168.105.110:8000/docs/security-manager-howto.html#comments_section</a>	N/A
1230	GET	<a href="http://192.168.105.110:8000/docs/security-manager-howto.html#Background">http://192.168.105.110:8000/docs/security-manager-howto.html#Background</a>	N/A
1231	GET	<a href="http://192.168.105.110:8000/docs/security-manager-howto.html#Permissions">http://192.168.105.110:8000/docs/security-manager-howto.html#Permissions</a>	N/A
1232	GET	<a href="http://192.168.105.110:8000/docs/security-manager-howto.html#Standard_Permissions">http://192.168.105.110:8000/docs/security-manager-howto.html#Standard_Permissions</a>	N/A
1233	GET	<a href="http://192.168.105.110:8000/docs/security-manager-howto.html#Configuring_Tomcat_With_A_SecurityManager">http://192.168.105.110:8000/docs/security-manager-howto.html#Configuring_Tomcat_With_A_SecurityManager</a>	N/A
1234	GET	<a href="http://192.168.105.110:8000/docs/security-manager-howto.html#Permissions_for_packed_WAR_files">http://192.168.105.110:8000/docs/security-manager-howto.html#Permissions_for_packed_WAR_files</a>	N/A
1235	GET	<a href="http://192.168.105.110:8000/docs/security-manager-howto.html#Configuring_Package_Protection_in_Tomcat">http://192.168.105.110:8000/docs/security-manager-howto.html#Configuring_Package_Protection_in_Tomcat</a>	N/A

INDEX	METHOD	URL	PARAMETERS
1236	GET	http://192.168.105.110:8000/docs/security-manager-howto.html#Troubleshooting	N/A
1237	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#comments_section	N/A
1238	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Introduction	N/A
1239	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Message	N/A
1240	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Manager	N/A
1241	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Applications	N/A
1242	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Start	N/A
1243	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Stop	N/A
1244	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Reload	N/A
1245	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Undeploy	N/A

INDEX	METHOD	URL	PARAMETERS
1246	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Deploy	N/A
1247	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Deploy_directory_or_WAR_file_located_on_server	N/A
1248	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Deploy_a_Directory_or_WAR_by_URL	N/A
1249	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Deploy_a_Directory_or_War_from_the_Host_appBase	N/A
1250	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Deploy_using_a_Context_configuration_%22.xml%22_file	N/A
1251	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Upload_a_WAR_file_to_install	N/A
1252	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Deployment_Notes	N/A
1253	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Deploy_Message	N/A



INDEX	METHOD	URL	PARAMETERS
1254	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Diagnostics	N/A
1255	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Finding_memory_leaks	N/A
1256	GET	http://192.168.105.110:8000/docs/html-manager-howto.html#Server_Information	N/A
1257	GET	http://192.168.105.110:8000/docs/class-loader-howto.html#Overview	N/A
1258	GET	http://192.168.105.110:8000/docs/class-loader-howto.html#comments_section	N/A
1259	GET	http://192.168.105.110:8000/docs/class-loader-howto.html#Class_Loader_Definitions	N/A
1260	GET	http://192.168.105.110:8000/docs/class-loader-howto.html#XML_Parsers_and_Java	N/A
1261	GET	http://192.168.105.110:8000/docs/class-loader-howto.html#Running_under_a_security_manager	N/A
1262	GET	http://192.168.105.110:8000/docs/jasper-howto.html#Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
1263	GET	http://192.168.105.110:8000/docs/jasper-howto.html#comments_section	N/A
1264	GET	http://192.168.105.110:8000/docs/jasper-howto.html#Configuration	N/A
1265	GET	http://192.168.105.110:8000/docs/jasper-howto.html#Known_issues	N/A
1266	GET	http://192.168.105.110:8000/docs/jasper-howto.html#Production_Configuration	N/A
1267	GET	http://192.168.105.110:8000/docs/jasper-howto.html#Web_Application_Compilation	N/A
1268	GET	http://192.168.105.110:8000/docs/jasper-howto.html#Optimisation	N/A
1269	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html#comments_section	N/A
1270	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html#Introduction	N/A
1271	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html#web.xml_configuration	N/A

INDEX	METHOD	URL	PARAMETERS
1272	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html#context.xml_configuration	N/A
1273	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html#Global_configuration	N/A
1274	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html#Tomcat_Standard_Resource_Factories	N/A
1275	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html#Using_resources	N/A
1276	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/upload/asp/upload.asp	N/A
1277	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/upload/asp/	N/A
1278	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html#UserDatabase_Resources	N/A
1279	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/connectors/php/connector.php	N/A
1280	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/connectors/php/	N/A

INDEX	METHOD	URL	PARAMETERS
1281	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html#JavaMail_Sessions	N/A
1282	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html#JDBC_Data_Sources	N/A
1283	GET	http://192.168.105.110:8090/admin/filemanager/connectors/aspx/upload.aspx	N/A
1284	GET	http://192.168.105.110:8000/docs/cgi-howto.html#Installation	N/A
1285	GET	http://192.168.105.110:8000/docs/cgi-howto.html#comments_section	N/A
1286	GET	http://192.168.105.110:8090/admin/filemanager/upload/aspx/upload.aspx	N/A
1287	GET	http://192.168.105.110:8090/admin/filemanager/upload/aspx/	N/A
1288	GET	http://192.168.105.110:8000/docs/cgi-howto.html#Introduction	N/A
1289	GET	http://192.168.105.110:8000/docs/cgi-howto.html#Configuration	N/A
1290	GET	http://192.168.105.110:8090/admin/filemanager/connectors/php/upload.php	N/A

INDEX	METHOD	URL	PARAMETERS
1291	GET	http://192.168.105.110:8000/docs/jndi-resources-howto.html#Adding_Custom_Resource_Factories	N/A
1292	GET	http://192.168.105.110:8000/docs/ssi-howto.html#comments_section	N/A
1293	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/upload.php/upload.php	N/A
1294	GET	http://192.168.105.110:8090/admin/fckeditor/editor/filemanager/upload.php/	N/A
1295	GET	http://192.168.105.110:8000/docs/ssi-howto.html#Introduction	N/A
1296	GET	http://192.168.105.110:8000/docs/ssi-howto.html#Installation	N/A
1297	GET	http://192.168.105.110:8090/admin/files.php	N/A
1298	GET	http://192.168.105.110:8000/docs/ssi-howto.html#Servlet_Configuration	N/A
1299	GET	http://192.168.105.110:8000/docs/ssi-howto.html#Filter_Configuration	N/A
1300	GET	http://192.168.105.110:8000/docs/ssi-howto.html#Variables	N/A
1301	GET	http://192.168.105.110:8000/docs/ssi-howto.html#Directives	N/A

INDEX	METHOD	URL	PARAMETERS
1302	GET	<a href="http://192.168.105.110:8000/docs/ssl-howto.html#comments_section">http://192.168.105.110:8000/docs/ssl-howto.html#comments_section</a>	N/A
1303	GET	<a href="http://192.168.105.110:8000/docs/ssl-howto.html#Quick_Start">http://192.168.105.110:8000/docs/ssl-howto.html#Quick_Start</a>	N/A
1304	GET	<a href="http://192.168.105.110:8000/docs/ssl-howto.html#Introduction_to_SSL">http://192.168.105.110:8000/docs/ssl-howto.html#Introduction_to_SSL</a>	N/A
1305	GET	<a href="http://192.168.105.110:8000/docs/ssl-howto.html#SSL_and_Tomcat">http://192.168.105.110:8000/docs/ssl-howto.html#SSL_and_Tomcat</a>	N/A
1306	GET	<a href="http://192.168.105.110:8000/docs/ssl-howto.html#Certificates">http://192.168.105.110:8000/docs/ssl-howto.html#Certificates</a>	N/A
1307	GET	<a href="http://192.168.105.110:8000/docs/ssl-howto.html#General_Tips_on_Running_SSL">http://192.168.105.110:8000/docs/ssl-howto.html#General_Tips_on_Running_SSL</a>	N/A
1308	GET	<a href="http://192.168.105.110:8000/docs/ssl-howto.html#Configuration">http://192.168.105.110:8000/docs/ssl-howto.html#Configuration</a>	N/A
1309	GET	<a href="http://192.168.105.110:8000/docs/ssl-howto.html#Prepare_the_Certificate_Keystore">http://192.168.105.110:8000/docs/ssl-howto.html#Prepare_the_Certificate_Keystore</a>	N/A
1310	GET	<a href="http://192.168.105.110:8000/docs/ssl-howto.html#Edit_the_Tomcat_Configuration_File">http://192.168.105.110:8000/docs/ssl-howto.html#Edit_the_Tomcat_Configuration_File</a>	N/A
1311	GET	<a href="http://192.168.105.110:8000/docs/ssl-howto.html#Installing_a_Certificate_from_a_Certificate_Authority">http://192.168.105.110:8000/docs/ssl-howto.html#Installing_a_Certificate_from_a_Certificate_Authority</a>	N/A

INDEX	METHOD	URL	PARAMETERS
1312	GET	http://192.168.105.110:8000/docs/mb eans-descriptors-howto.html#comments_section	N/A
1313	GET	http://192.168.105.110:8000/docs/mb eans-descriptors-howto.html#Introduction	N/A
1314	GET	http://192.168.105.110:8000/docs/mb eans-descriptors-howto.html#Adding_MBean_descriptions	N/A
1315	GET	http://192.168.105.110:8000/docs/ssl-howto.html#Create_a_local_Certificate_Signing_Request_(CSR)	N/A
1316	GET	http://192.168.105.110:8000/docs/ssl-howto.html#Importing_the_Certificate	N/A
1317	GET	http://192.168.105.110:8000/docs/ssl-howto.html#Troubleshooting	N/A
1318	GET	http://192.168.105.110:8000/docs/ssl-howto.html#Using_the_SSL_for_session_tracking_in_your_application	N/A
1319	GET	http://192.168.105.110:8000/docs/ssl-howto.html#Miscellaneous_Tips_and_Bits	N/A
1320	GET	http://192.168.105.110:8000/docs/proxy-howto.html#comments_section	N/A

INDEX	METHOD	URL	PARAMETERS
1321	GET	http://192.168.105.110:8000/docs/proxy-howto.html#Introduction	N/A
1322	GET	http://192.168.105.110:8000/docs/proxy-howto.html#Apache_1.3_Proxy_Support	N/A
1323	GET	http://192.168.105.110:8000/docs/default-servlet.html#comments_section	N/A
1324	GET	http://192.168.105.110:8000/docs/default-servlet.html#what	N/A
1325	GET	http://192.168.105.110:8000/docs/proxy-howto.html#Apache_2.0_Proxy_Support	N/A
1326	GET	http://192.168.105.110:8000/docs/default-servlet.html#where	N/A
1327	GET	http://192.168.105.110:8000/docs/default-servlet.html#change	N/A
1328	GET	http://192.168.105.110:8000/docs/default-servlet.html#dir	N/A
1329	GET	http://192.168.105.110:8000/docs/default-servlet.html#secure	N/A



INDEX	METHOD	URL	PARAMETERS
1330	GET	http://192.168.105.110:8000/docs/balancer-howto.html#comments_section	N/A
1331	GET	http://192.168.105.110:8000/docs/balancer-howto.html#Using_the_JK_1.2.x_native_connector	N/A
1332	GET	http://192.168.105.110:8000/docs/balancer-howto.html#Using_Apache_HTTP_Server_2.x_with_mod_proxy	N/A
1333	GET	http://192.168.105.110:8000/docs/config/automatic-deployment.html#comments_section	N/A
1334	GET	http://192.168.105.110:8000/docs/config/automatic-deployment.html#Key	N/A
1335	GET	http://192.168.105.110:8000/docs/config/automatic-deployment.html#New_files	N/A
1336	GET	http://192.168.105.110:8000/docs/config/automatic-deployment.html#Introduction	N/A
1337	GET	http://192.168.105.110:8000/docs/config/automatic-deployment.html#Deleted_files	N/A
1338	GET	http://192.168.105.110:8000/docs/config/automatic-deployment.html#Added_files	N/A

INDEX	METHOD	URL	PARAMETERS
1339	GET	http://192.168.105.110:8000/docs/config/automatic-deployment.html#Modified_files	N/A
1340	GET	http://192.168.105.110:8000/docs/connectors.html#comments_section	N/A
1341	GET	http://192.168.105.110:8000/docs/config/automatic-deployment.html#Notes	N/A
1342	GET	http://192.168.105.110:8000/docs/connectors.html#Introduction	N/A
1343	GET	http://192.168.105.110:8000/docs/connectors.html#HTTP	N/A
1344	GET	http://192.168.105.110:8000/docs/connectors.html#AJP	N/A
1345	GET	http://192.168.105.110:8000/docs/aio.html#comments_section	N/A
1346	GET	http://192.168.105.110:8000/docs/aio.html#Introduction	N/A
1347	GET	http://192.168.105.110:8000/docs/aio.html#Asynchronous_writes	N/A
1348	GET	http://192.168.105.110:8000/docs/virtual-hosting-howto.html#comments_section	N/A
1349	GET	http://192.168.105.110:8000/docs/virtual-hosting-howto.html#Assumptions	N/A

INDEX	METHOD	URL	PARAMETERS
1350	GET	http://192.168.105.110:8000/docs/virtual-hosting-howto.html#server.xml	N/A
1351	GET	http://192.168.105.110:8000/docs/virtual-hosting-howto.html#Webapps_Directory	N/A
1352	GET	http://192.168.105.110:8000/docs/virtual-hosting-howto.html#Configuring_Your_Contexts	N/A
1353	GET	http://192.168.105.110:8000/docs/virtual-hosting-howto.html#General	N/A
1354	GET	http://192.168.105.110:8000/docs/virtual-hosting-howto.html#context.xml_-_approach_1	N/A
1355	GET	http://192.168.105.110:8000/docs/virtual-hosting-howto.html#context.xml_-_approach_2	N/A
1356	GET	http://192.168.105.110:8000/docs/virtual-hosting-howto.html#Further_Information	N/A
1357	GET	http://192.168.105.110:8000/docs/extras.html#comments_section	N/A
1358	GET	http://192.168.105.110:8000/docs/extras.html#Introduction	N/A

INDEX	METHOD	URL	PARAMETERS
1359	GET	http://192.168.105.110:8000/docs/extras.html#Downloading	N/A
1360	GET	http://192.168.105.110:8000/docs/extras.html#Building	N/A
1361	GET	http://192.168.105.110:8000/docs/extras.html#Components_list	N/A
1362	GET	http://192.168.105.110:8000/docs/extras.html#Full_commons-logging_implementation	N/A
1363	GET	http://192.168.105.110:8000/docs/extras.html#Web_Services_support_(JSR_109)	N/A
1364	GET	http://192.168.105.110:8000/docs/extras.html#JMX_Remote_Lifecycle_Listener	N/A
1365	GET	http://192.168.105.110:8000/docs/apr.html#comments_section	N/A
1366	GET	http://192.168.105.110:8000/docs/apr.html#Introduction	N/A
1367	GET	http://192.168.105.110:8000/docs/apr.html#Installation	N/A
1368	GET	http://192.168.105.110:8000/docs/apr.html#Windows	N/A
1369	GET	http://192.168.105.110:8000/docs/apr.html#Linux	N/A
1370	GET	http://192.168.105.110:8000/docs/apr.html#APR_Components	N/A

INDEX	METHOD	URL	PARAMETERS
1371	GET	http://192.168.105.110:8000/docs/apr.html#APR_Lifecycle_Listener_Configuration	N/A
1372	GET	http://192.168.105.110:8000/docs/apr.html#APR_Connectors_Configuration	N/A
1373	GET	http://192.168.105.110:8000/docs/apr.html#HTTP/HTTPS	N/A
1374	GET	http://192.168.105.110:8000/docs/apr.html#AJP	N/A
1375	GET	http://192.168.105.110:8090/admin/home	N/A
1376	GET	http://192.168.105.110:8000/docs/logging.html#comments_section	N/A
1377	GET	http://192.168.105.110:8000/docs/logging.html#Introduction	N/A
1378	GET	http://192.168.105.110:8090/admin/file.php	N/A
1379	GET	http://192.168.105.110:8000/docs/logging.html#Java_logging_API_%E2%80%94java.util.logging	N/A
1380	GET	http://192.168.105.110:8000/docs/logging.html#Servlets_logging_API	N/A
1381	GET	http://192.168.105.110:8000/docs/logging.html#Console	N/A
1382	GET	http://192.168.105.110:8000/docs/logging.html#Access_logging	N/A

INDEX	METHOD	URL	PARAMETERS
1383	GET	http://192.168.105.110:8000/docs/logging.html#Using_java.util.logging_(default)	N/A
1384	GET	http://192.168.105.110:8000/docs/logging.html#Documentation_references	N/A
1385	GET	http://192.168.105.110:8000/docs/logging.html#Considerations_for_production_usage	N/A
1386	GET	http://192.168.105.110:8000/docs/monitoring.html#comments_section	N/A
1387	GET	http://192.168.105.110:8000/docs/monitoring.html#Introduction	N/A
1388	GET	http://192.168.105.110:8000/docs/monitoring.html#Enabling_JMX_Remote	N/A
1389	GET	http://192.168.105.110:8000/docs/monitoring.html#Manage_Tomcat_with_JMX_remote_Ant_Tasks	N/A
1390	GET	http://192.168.105.110:8000/docs/monitoring.html#JMX_AccessorOpenTask_-_JMX_open_connection_task	N/A
1391	GET	http://192.168.105.110:8000/docs/monitoring.html#JMX_AccessorGetTask:_get_attribute_value_Ant_task	N/A

INDEX	METHOD	URL	PARAMETERS
1392	GET	http://192.168.105.110:8000/docs/monitoring.html#JMXAccessorSetTask:_set_attribute_value_Ant_task	N/A
1393	GET	http://192.168.105.110:8000/docs/monitoring.html#JMXAccessorInvokeTask:_invoke_MBean_operation_Ant_task	N/A
1394	GET	http://192.168.105.110:8000/docs/monitoring.html#JMXAccessorQueryTask:_query_MBean_Ant_task	N/A
1395	GET	http://192.168.105.110:8000/docs/monitoring.html#JMXAccessorCreateTask:_remote_create_MBean_Ant_task	N/A
1396	GET	http://192.168.105.110:8090/admin/home.%2A	N/A
1397	GET	http://192.168.105.110:8000/docs/monitoring.html#JMXAccessorUnregisterTask:_remote_unregister_MBean_Ant_task	N/A
1398	GET	http://192.168.105.110:8000/docs/maven-jars.html#comments_section	N/A
1399	GET	http://192.168.105.110:8090/admin/home.php	N/A
1400	GET	http://192.168.105.110:8000/docs/monitoring.html#JMXAccessorCondition:_express_condition	N/A

INDEX	METHOD	URL	PARAMETERS
1401	GET	http://192.168.105.110:8090/admin/index.asp	N/A
1402	GET	http://192.168.105.110:8000/docs/maven-jars.html#Using_Tomcat_libraries_With_Maven	N/A
1403	GET	http://192.168.105.110:8000/docs/monitoring.html#JMX_AccessorEqualsCondition:_equals_MBean_Ant_condition	N/A
1404	GET	http://192.168.105.110:8090/admin/index	N/A
1405	GET	http://192.168.105.110:8000/docs/maven-jars.html#Tomcat_Snapshots	N/A
1406	GET	http://192.168.105.110:8090/admin/js/tiny_mce	N/A
1407	GET	http://192.168.105.110:8090/admin/js/	N/A
1408	GET	http://192.168.105.110:8000/docs/maven-jars.html#Tomcat_Releases	N/A
1409	GET	http://192.168.105.110:8000/docs/monitoring.html#Using_the_JMXProxyServlet	N/A
1410	GET	http://192.168.105.110:8090/admin/index.html	N/A
1411	GET	http://192.168.105.110:8000/docs/windows-service-howto.html#comments_section	N/A



INDEX	METHOD	URL	PARAMETERS
1412	GET	http://192.168.105.110:8000/docs/windows-service-howto.html#Tomcat_service_application	N/A
1413	GET	http://192.168.105.110:8000/docs/windows-service-howto.html#Tomcat_monitor_application	N/A
1414	GET	http://192.168.105.110:8090/admin/includes/configure.php~	N/A
1415	GET	http://192.168.105.110:8090/admin/includes/	N/A
1416	GET	http://192.168.105.110:8000/docs/windows-service-howto.html#Command_line_arguments	N/A
1417	GET	http://192.168.105.110:8000/docs/windows-service-howto.html#Command_line_parameters	N/A
1418	GET	http://192.168.105.110:8090/admin/home.html	N/A
1419	GET	http://192.168.105.110:8000/docs/windows-service-howto.html#Installing_services	N/A
1420	GET	http://192.168.105.110:8000/docs/windows-service-howto.html#Updating_services	N/A
1421	GET	http://192.168.105.110:8090/admin/index.%2A	N/A

INDEX	METHOD	URL	PARAMETERS
1422	GET	http://192.168.105.110:8000/docs/windows-service-howto.html#Removing_services	N/A
1423	GET	http://192.168.105.110:8000/docs/windows-service-howto.html#Debugging_services	N/A
1424	GET	http://192.168.105.110:8090/Admin/knowledge/dsmgr/users/GroupManager.%2A	N/A
1425	GET	http://192.168.105.110:8090/Admin/knowledge/dsmgr/users/	N/A
1426	GET	http://192.168.105.110:8000/docs/architecture/index.html#comments_section	N/A
1427	GET	http://192.168.105.110:8000/docs/funspecs/index.html#comments_section	N/A
1428	GET	http://192.168.105.110:8000/docs/web-socket-howto.html#comments_section	N/A
1429	GET	http://192.168.105.110:8000/docs/windows-service-howto.html#Multiple_Instances	N/A
1430	GET	http://192.168.105.110:8000/docs/web-socket-howto.html#Overview	N/A

INDEX	METHOD	URL	PARAMETERS
1431	GET	http://192.168.105.110:8000/docs/web-socket-howto.html#Application_development	N/A
1432	GET	http://192.168.105.110:8000/docs/web-socket-howto.html#Tomcat_WebSocket_specific_configuration	N/A
1433	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#comments_section	N/A
1434	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Overview	N/A
1435	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Built-in_Tomcat_support	N/A
1436	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Domain_Controller	N/A
1437	GET	http://192.168.105.110:8000/docs/changelog.html#comments_section	N/A
1438	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Tomcat_instance_(Windows_server)	N/A
1439	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Tomcat_instance_(Linux_server)	N/A

INDEX	METHOD	URL	PARAMETERS
1440	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Web_application	N/A
1441	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Client	N/A
1442	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#References	N/A
1443	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Third_party_libraries	N/A
1444	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Waffle	N/A
1445	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Spring_Security_-_Kerberos_Extension	N/A
1446	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#SPNEGO_project_at_SourceForge	N/A
1447	GET	http://192.168.105.110:8000/docs/rewrite.html#comments_section	N/A
1448	GET	http://192.168.105.110:8000/docs/rewrite.html#mapfunc	N/A
1449	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Jespa	N/A

INDEX	METHOD	URL	PARAMETERS
1450	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Reverse_proxies	N/A
1451	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Microsoft_IIS	N/A
1452	GET	http://192.168.105.110:8000/docs/windows-auth-howto.html#Apache_httpd	N/A
1453	GET	http://192.168.105.110:8000/docs/building.html#comments_section	N/A
1454	GET	http://192.168.105.110:8000/docs/building.html#Introduction	N/A
1455	GET	http://192.168.105.110:8000/docs/building.html#Download_a_Java_Development_Kit_(JDK)_version_7	N/A
1456	GET	http://192.168.105.110:8000/docs/building.html#Install_Apache_Ant_1.9.5_or_later	N/A
1457	GET	http://192.168.105.110:8000/docs/building.html#Checkout_or_obtain_the_Tomcat_source_code	N/A
1458	GET	http://192.168.105.110:8000/docs/building.html#Configure_download_area	N/A
1459	GET	http://192.168.105.110:8000/docs/building.html#Building_Tomcat	N/A

INDEX	METHOD	URL	PARAMETERS
1460	GET	http://192.168.105.110:8000/docs/building.html#Building_with_Eclipse	N/A
1461	GET	http://192.168.105.110:8000/docs/building.html#Building_with_other_IDEs	N/A
1462	GET	http://192.168.105.110:8000/docs/developers.html#comments_section	N/A
1463	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#comments_section	N/A
1464	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Introduction	N/A
1465	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#How_to_use	N/A
1466	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Additional_features	N/A
1467	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Inside_the_Apache_Tomcat_Container	N/A
1468	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Standalone	N/A
1469	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#JMX	N/A

INDEX	METHOD	URL	PARAMETERS
1470	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Attributes	N/A
1471	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#JNDI_Factory_and_Type	N/A
1472	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#System_Properties	N/A
1473	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Common_Attributes	N/A
1474	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Tomcat_JDBC_Enhanced_Attributes	N/A
1475	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Advanced_usage	N/A
1476	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#JDBC_interceptors	N/A
1477	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Configuring_JDBC_interceptors	N/A
1478	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#org.apache.tomcat.jdbc.pool.JdbcInterceptor	N/A

INDEX	METHOD	URL	PARAMETERS
1479	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#org.apache.tomcat.jdbc.pool.interceptor.ConnectionState	N/A
1480	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#org.apache.tomcat.jdbc.pool.interceptor.StatementFinalizer	N/A
1481	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#org.apache.tomcat.jdbc.pool.interceptor.StatementCache	N/A
1482	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#org.apache.tomcat.jdbc.pool.interceptor.StatementDecoratorInterceptor	N/A
1483	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#org.apache.tomcat.jdbc.pool.interceptor.QueryTimeoutInterceptor	N/A
1484	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#org.apache.tomcat.jdbc.pool.interceptor.SlowQueryReport	N/A
1485	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#org.apache.tomcat.jdbc.pool.interceptor.SlowQueryReportJmx	N/A



INDEX	METHOD	URL	PARAMETERS
1486	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#org.apache.tomcat.jdbc.pool.interceptor.ResetAbandonedTimer	N/A
1487	POST	http://192.168.105.110:8000/examples/jsp/security/protected/j_security_check;jsessionid=BB4C410EF456875A16436BB579AAF915	j_username, j_password
1488	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Code_Example	N/A
1489	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Plain_Ol'_Java	N/A
1490	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#As_a_Resource	N/A
1491	GET	http://192.168.105.110:8000/examples/jsp/checkbox/checkresult.jsp?fruit=apples&fruit=grapes&fruit=oranges&fruit=melons&submit=Submit	fruit, submit
1492	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Asynchronous_Connection_Retrieval	N/A
1493	POST	http://192.168.105.110:8000/examples/jsp/sessions/carts.jsp	item, Rock n' Roll

INDEX	METHOD	URL	PARAMETERS
1494	GET	http://192.168.105.110:8000/examples/jsp/colors/colrs.jsp?color1=lime&color2=olive	color1, color2
1495	POST	http://192.168.105.110:8000/examples/jsp/checkbox/checkresult.jsp	fruit
1496	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Interceptors	N/A
1497	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Getting_the_actual_JDBC_connection	N/A
1498	GET	http://192.168.105.110:8000/examples/jsp/cal/cal1.jsp?name=Fay&email=Reyes42%40hotmail.com	name, email
1499	GET	http://192.168.105.110:8000/docs/architecture/requestProcess.html#comments_section	N/A
1500	GET	http://192.168.105.110:8000/docs/architecture/startup.html#comments_section	N/A
1501	GET	http://192.168.105.110:8000/docs/architecture/overview.html#comments_section	N/A
1502	GET	http://192.168.105.110:8000/docs/funspecs/fs-memory-realm.html#comments_section	N/A

INDEX	METHOD	URL	PARAMETERS
1503	GET	http://192.168.105.110:8000/docs/functionspecs/fs-memory-realm.html#Overview	N/A
1504	GET	http://192.168.105.110:8000/docs/functionspecs/fs-memory-realm.html#Introduction	N/A
1505	GET	http://192.168.105.110:8000/docs/functionspecs/fs-memory-realm.html#External_Specifications	N/A
1506	GET	http://192.168.105.110:8000/docs/functionspecs/fs-memory-realm.html#Implementation_Requirements	N/A
1507	GET	http://192.168.105.110:8000/docs/functionspecs/fs-memory-realm.html#Dependencies	N/A
1508	GET	http://192.168.105.110:8000/docs/jdbc-pool.html#Building	N/A
1509	GET	http://192.168.105.110:8090/admin/js/tinymce	N/A
1510	GET	http://192.168.105.110:8090/admin/login	N/A
1511	GET	http://192.168.105.110:8090/admin/login	N/A